

GODOX AD600BMII Wistro Flash for Bowens Mount



Model: AD600BMII

Manufacturer: GODOX

EAN: 6952344237861

Product Code: 747690

R14,646

GODOX AD600BMII Wistro Flash with Bowens Mount

The GODOX AD600BM II flash with Bowens mount is a 600 Ws battery-powered flash that offers a wide range of shooting options both in the studio and on location. It offers flash power adjustment ranging from 1/512 to 1/1 or on a scale of 1.0–10.0 with 0.1-stop precision, allowing you to easily adjust the light intensity to suit the lighting conditions. The model supports HSS synchronization up to 1/8000 s, Multi stroboscopic mode, and the ALT MASK function, which increases your flexibility when shooting various photographic scenarios.

Intuitive Operation and Wireless Communication

The new AD600BM II features a clear, brightness-adjustable color TFT screen that remains clearly visible even when working in direct sunlight. The intuitive menu allows you to quickly change

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

settings, and the t0.1 indicator makes it easy to control the flash duration. The built-in Godox 2.4G receiver works with the Godox X trigger system, offering support for 32 channels and 16 groups, as well as the Fast Sync pairing feature. Additionally, the flash can be triggered via a photocell in S1 and S2 modes or using a sync cable.

High-capacity battery and LED modeling light

Battery power ensures full mobility, and the high-capacity lithium-ion battery allows for up to 500 full-power flashes. Short recharge times let you work without unnecessary interruptions, which is ideal for dynamic photo shoots. The flash is also equipped with a 40-watt LED modeling light with three operating modes, which makes it easier to assess the direction of the light and, if necessary, can be used as lighting for video recording. The popular Bowens mount ensures compatibility with a wide range of softboxes, reflectors, Fresnel lenses, and other light modifiers.

Included in the set

- GODOX AD600BM II flash
- Battery
- Charger
- Flash head
- Reflector
- Cap
- Manufacturer’s packaging

Manufacturer	GODOX
Model	AD600BM II
Flash power	600 Ws
Guide number	87
Power adjustment range	1/512-1/1 or 1.0-10.0
Color temperature	5800 K ±200 K
Flash duration	1/220-1/11760 s

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

HSS synchronization	up to 1/8000 s
Stroboscopic mode (Multi)	Yes
ALT MASK function	Yes
Modeling light	40 W LED
Mount	Bowens
Triggering	Godox X 2.4G system, S1/S2 photocell, sync cable
Channels / Groups	32 / 16
Wireless range	up to 100 m
Power supply	Lithium-ion battery
Number of full-power flashes	up to 500
Cooling	active

GPSR Link: [https://psr-](https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf)

[assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf](https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf), Gross weight: 4270, Net weight: 4485, Box length: 39,00, Box width: 23,00, Box height: 19,50

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950