



WRL CAMERA PAN/TILT/DUAL TAPO C245D TP- LINK



Model: TAPO C245D

Manufacturer: TP-LINK

EAN: 1210002619134

Product Code: 757225

R1,799

Superior Clarity and Coverage. Seamless Monitoring.

Two 2K 3MP lenses work together to capture a broader perspective, minimizing blind spots and delivering all-round protection for your home.

- 2K 3MP Dual Lens - Capture the full picture with dual 2K high definition optics, monitoring two separate areas at the same time with just one device. Engineered to minimize blind spots for optimal coverage.
- Wide-angle & Telephoto Lens - With 122° FOV wide-angle lens and 6mm telephoto lens, it ensures all-around awareness and down-to-the-detail protection of your home.
- Synchronized Smart Tracking - When the fixed lens detects events, the pan/tilt lens will automatically pivot to focus on and track the moving object.
- One-Tap Smart Focus - Select an area in the wide-angle view, and the pan/tilt camera will focus on it instantly.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- Free Smart Dual AI Detection & Notification - Get instant push notifications when motion, person, pets, vehicles or even baby cry are detected, there is no additional fee to use it.
- Works with Alexa, Google Home & Samsung SmartThings - Fully compatible with Amazon Alexa and Google Assistant, use your simple voice command to view Tapo indoor/outdoor home security wi-fi camera live stream.
- Night Vision up to 40 ft -Even in complete darkness, an advanced IR algorithm delivers clear black-and-white footage.
- Secure Local or Cloud Storage - Save footage continuously on up to a 512 GB microSD card (not included) or subscribe to Tapo Care for cloud storage which saves 30-day video.
- 2-Way Audio - Engage in seamless, real-time conversations with our two-way audio feature, designed for minimal latency and exceptional sound clarity.

Summary: TP-Link Tapo C245D. Type: IP security camera, Placement supported: Indoor, Connectivity technology: Wireless. Mounting type: Ceiling/wall, Product colour: White, Form factor: Spherical. Lens viewing angle, horizontal: 104.3°, Lens viewing angle, vertical: 57.9°, Lens viewing angle, diagonal: 121.8°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.8 mm (1 / 2.8"). Digital zoom: 10.8x, Fixed focal length: 3.1 mm | Vendor Homepage: <https://www.tapo.com/en/product/smart-camera/tapo-c245d/#tapo-product-overview> | Connectivity technology: Wireless | Day/night mode: Yes | Placement supported: Indoor | Type: IP security camera | Wide Dynamic Range (WDR): Yes | Form factor: Spherical | Mounting type: Ceiling/wall | Product colour: White | Camera pan control: Yes | Camera tilt control: Yes | Lens viewing angle, diagonal: 121.8 | Lens viewing angle, horizontal: 104.3 | Lens viewing angle, vertical: 57.9 | Pan range: 0 - 340 | Tilt angle range: 0 - 70 | Optical sensor size: 1/2.8 | Progressive scan: Yes | Sensor type: CMOS | Digital zoom: 10.8 | Fixed focal length: 3.1 | Maximum aperture number: 1.6 | Number of lenses: 2 | Zoom capability: Yes | Infra-red wavelength: 850 | LED type: IR | Night vision: Yes | Night vision distance: 12 | Number of illumination LEDs: 6 | Frame rate: 15 | Maximum resolution: 2304 x 1296 | Total megapixels: 3 | Audio system: 2-way | Built-in microphone: Yes | Built-in speaker(s): Yes | Ethernet LAN: No | Networking standards: IEEE 802.11b/IEEE 802.11g/IEEE 802.11n | Wi-Fi: Yes | Built-in HDD: No | Card reader integrated: Yes | Compatible memory cards: MicroSD (TransFlash) | Maximum memory card size: 512 | DC-in jack: Yes | Security algorithms: WPA2-PSK/WPA3-PSK/WPA-PSK | Video motion detection: Yes | Cloud-managed: Yes | Reset button: Yes | DC output voltage: 9 | Power source type: DC | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 0 - 90 | Storage temperature (T-T): -20 - 60 | Depth: 82.2 | Height: 126.2 | Width: 82.2 | Mounting brackets included: Yes | Number of cameras: 1 | Screws included: Yes | Product Net Weight: 0.3 | Shipping Box Height:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

42 | Unit Calculated Volume: 0.003225 | Unit Calculated Weight: 0.613 | Units per Pallet: 0 | Units per Shipping Box: 16 | Model name: C245D

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950