



CABLE ADAPTER 4-PIN WITH I/O/PR5MEC21 TELTONIKA

Model: PR5MEC21

Manufacturer: TELTONIKA

EAN: 4779051840434

Product Code: 763279

R763

The **Teltonika PR5MEC21** is a **4-pin Power Adapter with I/O access**. It is a specialized "pigtail" connector used to unlock the advanced input/output features of Teltonika routers.

Where it is used:

It is used in professional and industrial installations where you need more than just power. It allows you to connect external sensors or control devices directly through the router's power port.

- **Vehicle Ignition Detection:** Connecting the router to a vehicle's ignition so it only turns on (or sends a notification) when the engine starts.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- **Remote Control/Switching:** Using the router to remotely open gates, barriers, or door locks via SMS or the RMS app.
- **Sensor Monitoring:** Connecting digital sensors (like door open/close sensors or liquid level alarms) to trigger alerts.
- **Industrial Control Cabinets:** Providing a clean screw-terminal connection for power and data wires without needing to solder or crimp tiny connectors.

Compatible Devices:

It works with almost all Teltonika devices that have a **4-pin** power socket:

- **RUT Series:** RUT240, RUT241, RUT360, RUT950, RUT955, RUT956.
- **RUTX Series:** RUTX09, RUTX11, RUTX14, RUTX50, etc.
- **Gateways:** TRB140, TRB141, TRB142, TRB145, TRB500.

Key Specifications:

- **Connector:** 4-pin Micro-Fit to a 4-way **screw terminal block**.
- **Pinout:** * Pin 1: Power (+)
 - Pin 2: Ground (-)
 - Pin 3 & 4: Configurable Input/Output (I/O).

In short: Use this adapter if you want to use your router as a mini-controller to sense or switch external equipment.

- Input connector: 4-pin, 3 mm pitch and 4-way screw terminal block

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- Output connector: 4-pin, 3 mm pitch
- Cable: 4 x 0.20 mm² (24 AWG), 100 mm
- Screwdriver type: Micro slotted

Vendor Homepage: teltonika-networks.com/products/accessories/powering-options/4-pin-power-adapter-with-io-access-1 | Shipping Box Height: 3 | Unit Calculated Volume: 0.0001725 | Units per Shipping Box: 1 | Product Net Weight: 0.015 | Unit Calculated Weight: 0.024 | Model: PR5MEC21 | Product Type: Cable | Name: CABLE ADAPTER 4-PIN WITH I/O/PR5MEC21 TELTONIKA | Colour: Black

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950