



CABLE HDMI 0.5M/AAIBD VENTION



Model: AAIBD

Manufacturer: VENTION

EAN: 6922794741553

Product Code: 763859

R559

ULTRA-SLIM and flexible HDMI cords weigh less than 40 g(0.5M) with a slim design that is 50% less than a regular HDMI cable.

ULTRA-HD features include support for 3D, 4K x 2K UHD TV, and high resolution 2560 x 1600 cinema monitors; Backwards compatible with 1440p, 1080p and below.

COMPATIBLE with all HDMI devices with a full-sized HDMI port including an HDTV, UHD TV, computer,, monitor, gaming console like the PS3 and Xbox 360 and much more.

Superfine HDMI 2.0 Cable

Bring you simple and smart life

Easy to Store and Save Space

Wire diameter is only 4.5mm convenient for wiring installation

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Travel Essentials

The widest part of the joint is only 17.8mm, extremely portable for travel

Output 4K Ultra HD Image

Support 3840 X 2160@60Hz, 4 times clearer than 1080P

Support 3D Visual Effect

Enjoy high definition video at home

Audio and Video Synchronization

Enjoy Hi-Fi stereo sound quality

Upgrade HDMI 2.0

Support 18Gbps transmission bandwidth, 21:9 widescreen display, 32 channel audio, HDR dynamic image output

Universal Compatibility

For all devices with standard HDMI interface

Multiple Shielding

Anti-interference ,no signal loss

TMDs Core Technology

TMDs transmits differential signals to reduce electromagnetic interference, reduce EMI, and increase signal transmission rate

Summary: Vention Portable HDMI Cable 0.5M Black. Cable length: 0.5 m, Connector 1: HDMI Type A (Standard), Connector 1 gender: Male, Connector 2: HDMI Type A (Standard), Connector 2 gender: Male, Connector contacts plating: Gold, HDMI version: 2.0, 3D, Data transfer rate: 18 Gbit/s, Product colour: Black | Vendor Homepage: https://ventiontech.com/products/portable-hdmi-cable-black?_pos=1&_psq=AAIB&_ss=e&_v=1.0 | 3D: Yes | AWG wire size: 32 | Cable jacket material: Polyvinyl chloride (PVC) | Cable jacket type: Extremely flexible | Cable length: 0.5 | Cable material: Copper | Cable type: Round cable | Connector 1: HDMI Type A (Standard) | Connector 1 form factor: Straight | Connector 1 gender: Male | Connector 2: HDMI Type A (Standard) | Connector 2 form

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

factor: Straight | Connector 2 gender: Male | Connector contacts plating: Gold | Data transfer rate: 18
| HDMI Ethernet channel: Yes | HDMI version: 2.0 | High Dynamic Range (HDR) supported: Yes |
Magnetically shielded: Yes | Maximum refresh rate: 60 | Product colour: Black | Shield material:
Aluminium | Supported digital audio channels (uncompressed): 32 | Supported graphics resolutions:
1920 x 1080 (HD 1080)/2560 x 1440/3840 x 2160 | Supported video modes: 1080p/1440p | Cable
diameter: 4.5 | Package type: Polybag | Quantity per pack: 1 | Warranty period: 1 | Product Net
Weight: 0.02 | Shipping Box Height: 30 | Unit Calculated Volume: 0.0004176 | Unit Calculated
Weight: 0.04 | Units per Pallet: 0 | Units per Shipping Box: 100 | Model: AAIBD

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950