

TP-Link UE300 network card Ethernet 1000 Mbit/s



Model: UE300

Manufacturer: TP-LINK

EAN: 1210002617871

Product Code: 768727

R821

Internal: No | USB powered: Yes | Package depth: 85 mm | Plug and Play: Yes | Width: 71 mm | Interface: Ethernet | Quick installation guide: Yes | Cabling technology: 10/100/1000BaseT(X) | USB connector form factor: Straight | Package height: 16 mm | Host interface: USB | USB version: 3.2 Gen 1 (3.1 Gen 1) | Height: 16.2 mm | Harmonized System (HS) code: 85176990 | Chipset: Realtek RTL8153 | Ethernet interface type: Gigabit Ethernet | Wi-Fi: No | USB ports quantity: 1 | Mac operating systems supported: Mac OS X 10.5 Leopard | Mac operating systems supported: Mac OS X 10.9 Mavericks | Mac operating systems supported: Mac OS X 10.7 Lion | Mac operating systems supported: Mac OS X 10.10 Yosemite | Mac operating systems supported: Mac OS X 10.6 Snow Leopard | Linux operating systems supported: Yes | Mac operating systems supported: Mac OS X 10.8 Mountain Lion | Mac operating systems supported: Mac OS X 10.7.5 Lion | Depth: 26 mm | Ethernet LAN: Yes | Product colour: White | Ethernet LAN data rates: 10 | Windows operating systems supported: Windows Vista Home Premium x64 | Windows operating systems supported: Windows 10 Education x64 | Windows operating systems supported: Windows XP Home x64 | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Enterprise | Ethernet LAN data rates: 1000 | Windows operating systems supported: Windows Vista Business | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows Vista Ultimate | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating systems supported: Windows Vista | Windows operating systems supported: Windows 7 x64 | Windows operating systems supported: Windows 7 Home Premium x64 | Ethernet LAN data rates: 100 | Package width: 183 mm | Windows operating systems supported: Windows 10 Enterprise x64 | Windows operating systems supported: Windows 10 x64 | Windows operating systems supported: Windows Vista Home Premium | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows 10 IoT Enterprise | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Windows operating systems supported: Windows XP Professional x64 | Windows operating systems supported: Windows Vista Home Basic | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows 8 | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows 7 Home Basic x64 | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows Vista Ultimate x64 | Windows operating systems supported: Windows 10 IOT Core | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Windows operating systems supported: Windows 7 Enterprise x64 | Windows operating systems supported: Windows Vista x64 | LED indicators: Yes | Windows operating systems supported: Windows Vista Enterprise x64 | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Windows operating systems supported: Windows Vista Enterprise | Windows operating systems supported: Windows 8.1 Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 7 | Networking standards: IEEE 802.3u | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows Vista Business x64 | Windows operating systems supported: Windows 10 Education | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows XP | Networking standards: IEEE 802.3 | Networking standards: IEEE 802.3ab | Maximum

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

data transfer rate: 1000 Mbit/s | Package weight: 60 g | Windows operating systems supported:
Windows Vista Home Basic x64 | Windows operating systems supported: Windows 7 Professional x64
| Ethernet LAN (RJ-45) ports: 1 | Connectivity technology: Wired

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950