

Belt feeder for xTool P2/P2S



Model: P5010199

Manufacturer: XTOOL

EAN: 6928819517264

Product Code: 806110

R9,632

Belt feeder for xTool P2/P2S

The belt feeder for the xTool P2 and P2S significantly increases the machine's working area - up to 3000 mm × 500 mm. This allows you to engrave long materials without having to split them and process more parts at one time. This is a solution for those who want to work faster, more accurately and more efficiently.

Automatic material feeding

The machine automatically plans the engraving path and moves the material without the need for manual feeding. This not only saves time, but also increases precision - forget about positioning errors.

Machine a variety of materials - without limits

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

With this feeder, you expand the range of materials that can be processed. In addition to classic plywood, acrylic or MDF (Medium Density Fibreboard), you can also work with soft materials such as cork, felt or EVA foam (Ethylene Vinyl Acetate, foam made from a copolymer of ethylene and vinyl acetate). Regardless of texture or thickness - the feeder ensures stable and smooth movement of the material.

Stability that makes a difference

The upper and lower pressure rollers are made of non-slip materials. This ensures that both thin and thicker plates are held securely, without the risk of shifting during operation.

Thoughtful design

Mounting the feeder rails is easy thanks to a snap-in system, and color-coded pressure markings help you quickly select the right pressure for a particular material. In addition, the bottom knob allows you to conveniently adjust the position of the material, and the alignment grid helps evenly align the selected material with respect to the feed direction.

Manufacturer	XTool
Model	P5010199
Compatibility	xTool P2 / P2S
Dimensions	687 × 200 × 135 mm
Weight	4.55 kg
Maximum speed	160 mm/s
Maximum machining area	3000 mm × 500 mm
Maximum material width	624 mm
Minimum material width	65 mm
Maximum material thickness	14 mm
Maximum length of material	1 m (including 30 cm hanging)

Processing length	0.85 m (including 30 cm hanging)
-------------------	----------------------------------

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

GPSR Link: <https://psr->

[assets.innpro.pl/creative_technologies/sg_creative_technologies_laser_engravers_and_cutters.pdf](https://psr-assets.innpro.pl/creative_technologies/sg_creative_technologies_laser_engravers_and_cutters.pdf),

Gross weight: 8600, Net weight: 6500, Box length: 78,50, Box width: 26,00, Box height: 21,00

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950