

Smart ZigBee roller shutter switch Sonoff MINI-ZBRBS (4pak)



Model: MINI-ZBRBS 4PC

Manufacturer: SONOFF

EAN: 6920075743340

Product Code: 826518

R1,776

Sonoff MINI-ZBRBS Smart ZigBee Roller Shutter Switch (4pak)

The Sonoff MINI-ZBRBS is a compact Zigbee 3.0 switch that turns standard roller shutter systems into smart home solutions. It allows precise control of the position of the curtains, works with different types of motors and integrates with popular home automation platforms such as Home Assistant. Thanks to its small size, it fits into most installation boxes, offering advanced functionality without complicated modifications. The kit includes 4 pieces of the product.

Compact design

The module measures just 39.5 x 33 x 16.8 mm, allowing it to be easily installed in typical wall boxes with a diameter of 60 mm. This makes installation quick and aesthetically pleasing, and the device

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

does not take up valuable space in the apartment.

Percentage adjustment

The switch supports percentage adjustment, which allows you to set the blinds exactly as you need - for example, you can cover the window up to 47% or 79%. This makes it easy to adjust them to your situation, mood or time of day!

Precise calibration

The system calibrates the motor's path, learning the full range of opening and closing. As a result, the blinds always stop in the right place - you don't have to worry about them covering the window only halfway, for example!

Local scenarios and independence from the Internet

MINI-ZBRBS also works in local mode - configured Zigbee scenes run within your home network. The result? Reliable automation, even if the internet fails!

Zigbee signal amplification

In addition to its function as a controller, the device acts as a Zigbee router that amplifies and transmits the signal in the mesh network. This increases the stability of communication throughout the smart home system. Kitchen, bedroom, hallway - your devices will work reliably throughout the house.

Support for traditional switches

The device can be connected to classic wall switches, such as momentary buttons, two-button or three-position blind switches. As a result, blinds can also be operated manually, in the traditional way!

Wide compatibility with motors

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

The switch supports various types of motors, including tubular motors, motors for horizontal blinds or chain mechanisms, among others. Compatible are standard AC (Alternating Current, AC) 4-wire and 5-wire drives, which include a neutral wire, an operating line in both directions, and a ground wire.

Integration with popular platforms

The Sonoff MINI-ZBRBS works with popular smart home platforms, such as Home Assistant, for example. This allows you to create complex scenarios, connect the switch with other devices and conveniently manage the entire ecosystem from a single software!

Included

- Switch x4
- User manual

Manufacturer	Sonoff
Model	MINI-ZBRBS 4PC
Input voltage	100-240 V ~50/60 Hz
Motor load	100-240 V / 1 A
Wireless connectivity	Zigbee 3.0
Housing material	PC
Operating temperature	From -10°C to 40°C

Connectivity: ZigBee, Category: Roller shutter controllers, GPSR Link: https://psr-assets.innpro.pl/smarthome/sg_smarthome_controls.pdf, Gross weight: 110, Net weight: 98, Box length: 8,00, Box width: 7,00, Box height: 1,50, Information about data generation: <https://dataact.innpro.pl/Sonoff/6920075743340>, PPWR: <https://ppwr.innpro.pl/sonoff>