

TP-Link TL- WN781ND network card Internal WLAN 150 Mbit/s



Model: TL-WN781ND

Manufacturer: TP-LINK

EAN: 1210002617697

Product Code: 835613

R793

Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Operating temperature (T-T): 0 - 40 °C | Chipset: Atheros | Product colour: Green | Modulation: 16-QAM | Windows operating systems supported: Windows Vista Enterprise x64 | Modulation: OFDM | Modulation: DBPSK | Windows operating systems supported: Windows 8 x64 | Antenna direction type: Omni-directional | Security algorithms: WPA2-PSK | Operating relative humidity (H-H): 10 - 90% | Package weight: 150 g | Security algorithms: 64-bit WEP | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows Vista Ultimate x64 | Windows operating systems supported: Windows 10 IOT Core | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Windows operating systems

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

supported: Windows 8.1 Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 10 Enterprise x64 | Windows operating systems supported: Windows 10 x64 | Modulation: 64-QAM | Interface: WLAN | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows 7 Enterprise x64 | Windows operating systems supported: Windows Vista x64 | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8 Enterprise | Antenna design: External | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Windows operating systems supported: Windows Vista Home Premium x64 | Windows operating systems supported: Windows 10 Education x64 | Windows operating systems supported: Windows XP Home x64 | Resource CD: Yes | Wi-Fi standards: 802.11b | Operating modes: Infrastructure mode | Windows operating systems supported: Windows Vista Business | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows Vista Ultimate | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating systems supported: Windows Vista | Windows operating systems supported: Windows 7 x64 | Security algorithms: 128-bit WEP | Windows operating systems supported: Windows XP Professional x64 | Connectivity technology: Wireless | WLAN data transfer rates supported: 150 Mbit/s | WLAN data transfer rates supported: 11 | Windows operating systems supported: Windows Vista Home Basic | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows 8 | Modulation: CCK | Networking standards: IEEE 802.11g | Networking standards: IEEE 802.11n | Windows operating systems supported: Windows Vista Home Premium | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Package height: 39 mm | Wi-Fi standards: 802.11g | Linux operating systems supported: Yes | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Windows operating systems supported: Windows 10 IoT Enterprise | Windows operating systems supported: Windows Vista Business x64 | Windows operating systems supported: Windows 10 Education | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows XP | Storage temperature (T-T): -40 - 70 °C | Package depth: 150 mm | Internal: Yes | Modulation: DQPSK | Windows operating systems supported: Windows Vista Home Basic x64 | Windows operating systems supported: Windows 7 Professional x64 | Height: 21.5 mm | Antenna: Yes | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows 7 Home Basic x64 | Width: 120.8 mm | Harmonized System (HS) code: 85176990 | WLAN

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

data transfer rates supported: 54 | Frequency range: 2.4 - 2.4835 GHz | Security algorithms: WPA-PSK | Storage relative humidity (H-H): 5 - 90% | Sustainability compliance: Yes | Antenna gain level (max): 2 dBi | Maximum data transfer rate: 150 Mbit/s | Networking standards: IEEE 802.11b | Quick installation guide: Yes | Depth: 78.5 mm | Wi-Fi: Yes | Host interface: PCI Express | Package width: 200 mm | Wi-Fi band: Single-band (2.4 GHz) | Compliance certificates: RoHS | Compliance certificates: CE | Compliance certificates: Federal Communications Commission (FCC)

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950