

ISEASY TV1390D4-CC-I2 Range Hood



Model: TV1390D4-CC-I2

Manufacturer: ISEASY

EAN: 6977132450390

Product Code: 868228

R4,924

ISEASY TV1390D4-CC-I2 Range Hood

ISEASY TV1390D4-CC-I2 is a modern 90 cm wide appliance that combines high performance (594.2 m³/h) with A++ energy efficiency. Its distinctive 45° angled design not only gives it an elegant look but also enhances user comfort and improves vapor extraction efficiency. The model features intuitive touch controls, 4-speed power adjustment, a delayed shut-off function, and the ability to operate in either exhaust or recirculation mode. Quiet operation at 61 dB and built-in LED lighting make the unit ideal for everyday use.

Modern construction and thoughtful design

The range hood stands out with its modern, slanted form featuring a front made of two layers of white glass. The panels are set at a fixed 45° angle and separated by a subtle gap, giving the unit a sense of lightness and elegance. Thanks to this design, the user gains more space above the cooktop, making cooking more convenient. The model blends perfectly with bright, minimalist

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

kitchen designs.

Efficient ventilation system and two operating modes

The appliance effectively removes cooking fumes thanks to a suction power of 594.2 m³/h. The range hood can operate in exhaust mode, venting air outside via a duct, or in recirculation mode, where air is purified by carbon filters and returned to the room. This solution allows you to adapt the operating mode to the technical conditions of your kitchen.

Intuitive touch controls and additional features

The glass control panel features a clear digital display and intuitive touch buttons. Users can easily adjust the fan speed across 4 levels, turn on the LED lighting, or set the delayed shut-off function for 1 to 9 minutes. An additional convenience is the memory function, which saves the device's last settings.

Hidden panel and convenient operation

The range hood features a hidden front panel that opens with a single click. A gas spring mechanism ensures smooth lifting and stable support in the open position. Once the panel is raised, users have easy access to the metal grease filter, which significantly simplifies cleaning and maintenance.

Energy-efficient LED lighting

The model is equipped with two LED light points with a total power of 3W. The lighting is located in the lower part of the unit, ensuring even illumination of the work surface. This solution allows you to comfortably prepare meals even with dimmer main lighting.

Practical accessories included

The hood comes complete with all necessary installation components, including a two-piece chimney housing, a spiral exhaust pipe, a check valve, and a set of screws and brackets. The included charcoal filters allow for immediate use of the recirculation mode, and they are easily installed by simply screwing them onto the motor housing.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Operating comfort and refined details

The hood operates at a maximum noise level of 61 dB, ensuring comfort during everyday cooking. The gas spring system stabilizes the panel and increases the air intake area, resulting in even better performance. The entire unit has been designed with user comfort and the aesthetics of a modern kitchen in mind.

Included

- 90 cm range hood
- Two-piece chimney cover
- Flexible exhaust hose
- 2 charcoal filters
- Mounting brackets
- Check valve
- Installation kit
- Built-in LED lighting
- Metal grease filter

Manufacturer	IsEasy
Model	TV1390D4-CC-I2
Device type	Wall-mounted range hood
Width	90 cm
Design	Modern, slanted (Modern Slanted Design)
Angle of inclination	45° (fixed)
Maximum airflow	594.2 m³/h
Noise level	61 dB
Energy class	A++
Controls	Touch Control on glass panel

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Display	Digital
Number of power levels	4
Additional features	Delayed shut-off function (1–9 min), settings memory function
Lighting	LED, 2 x 1.5 W (total 3 W)
Operating modes	Exhaust (venting to the outside) / recirculation (recirculation mode)
Filters	Metal grease filter, charcoal filters (2 included)
Front panel	Double-glazed, hinged (concealed panel)
Opening mechanism	Gas spring
Color	White (glass front)
Installation type	Wall-mounted
Included accessories	Chimney housing (2 parts), spiral duct, check valve, mounting hardware, charcoal filters
Additional information	Easy access to the filter after opening the panel, twist-type charcoal filter installation, increased suction area thanks to the 45° angle design

Gross weight: 16100, Net weight: 13800, Box length: 93,00, Box width: 42,50, Box height: 43,50,

GPSR Link: <https://psr->

[assets.innpro.pl/small_appliances/sg_small_appliances_kitchen_accessories.pdf](https://psr-assets.innpro.pl/small_appliances/sg_small_appliances_kitchen_accessories.pdf)

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950