

LaserPecker smoke absorber for LX2



Model: LX2-SP

Manufacturer: LASERPECKER

EAN: 6974109088884

Product Code: 870067

R16,216

LaserPecker smoke extractor for LX2

The LaserPecker smoke extractor for LX2 has been designed for maximum comfort during laser engraving and cutting. It effectively eliminates smoke, odors, and microscopic contaminants, creating a safe and friendly environment even during long sessions. This solution significantly improves the quality of work, protecting your health and allowing you to fully focus on the precision of your project.

Three-stage filtration

An advanced three-stage filtration system with a HEPA filter and activated carbon is responsible for its exceptional effectiveness. The absorber removes up to 99.97% of fine particles up to 0.3 microns in size, effectively capturing dust and volatile contaminants generated during laser operation. This keeps the air in your workshop noticeably cleaner and fresher.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Higher performance and longer service life

The large 420 × 250 × 410 mm filter provides more intensive cleaning and a longer service life without the need for frequent replacement. The increased capacity translates into stable performance even with demanding materials, which will be appreciated by both professionals and hobbyists.

Quiet operation for better concentration

The LaserPecker smoke absorber for the LX2 operates extremely discreetly, keeping noise levels below 61 dB. This means it does not distract or disrupt your work, allowing for comfortable use in the office, workshop, or home studio.

Smart control and compatibility

Built-in smart features notify you when the filter needs to be replaced and allow you to set a timer for automatic shutdown, increasing convenience and safety. The device is designed exclusively for use with the LaserPecker LX2 engraver, ensuring a perfect fit and seamless integration with the entire system.

Manufacturer	LaserPecker
Model	LX2-SP
Compatibility	LaserPecker LX2
Filtration system	three-stage
Filter type	HEPA filter + activated carbon filter
Filtration efficiency	99.97%
Size of captured particles	up to 0.3 microns
Filter dimensions	420 × 250 × 410 mm
Noise level during operation	below 61 dB
Additional features	timer support

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

GPSR Link: <https://psr->

assets.innpro.pl/creative_technologies/sg_creative_technologies_laser_engravers_and_cutters.pdf,

Gross weight: 16990, Net weight: 10000, Box length: 62,00, Box width: 53,50, Box height: 32,00,

PPWR: <https://ppwr.innpro.pl/laserpecker>

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950