

LaserPecker rotary platform for LX2



Model: LX2-RBR

Manufacturer: LASERPECKER

EAN: 6974109088990

Product Code: 870068

R11,243

LaserPecker rotary platform for LX2

The LaserPecker rotary platform for LX2 is designed for projects that go beyond standard dimensions. It allows for comfortable processing of exceptionally thick materials and large-diameter objects, opening the way to more diverse and profitable personalized projects. With it, you can confidently take on jobs that were previously out of reach.

Impressive range of work with thick materials

The use of the platform significantly increases the maximum working height – from 45 mm to 150 mm. This is a huge difference that allows you to engrave and mark very thick elements while maintaining the stability and precision of the laser. The Riser Base makes the LaserPecker LX2 an even more versatile tool, ready for ambitious projects.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Engraving large diameter cylinders

The rotary platform works perfectly with the rotary attachment, allowing you to process cylindrical objects with a diameter of up to 130 mm. This combination allows for convenient and accurate engraving of bottles, tubes, cups, or other objects with a large circumference, without the limitations typical of standard solutions.

Full control thanks to adjustable height

The device offers four precisely designed height adjustment levels, ensuring a perfect fit for the object being processed. The adjustment range includes level 1 from 16.5 to 76.5 mm, level 2 from 41 to 101 mm, level 3 from 65.5 to 125.5 mm, and level 4 from 90 to 150 mm. This flexibility allows you to quickly and conveniently set the appropriate height while maintaining full control over the engraving process.

Dedicated solution for LaserPecker LX2

The rotary platform has been designed for the LaserPecker LX2 model, ensuring full compatibility and seamless integration with the device. It is an indispensable accessory for users who want to maximize the potential of their engraver and expand the range of projects they can carry out without investing in new equipment.

Manufacturer	LaserPecker
Model	LX2-RBR
Compatibility	LaserPecker LX2
Maximum working height	150 mm
Minimum working height	16.5 mm
Working space increase range	from 45 mm to 150 mm
Height adjustment	4 levels (Level 1: 16.5-76.5 mm, Level 2: 41-101 mm, Level 3: 65.5-125.5 mm, Level 4: 90-150 mm)

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

**Maximum diameter of
cylindrical objects**

up to 130 mm

GPSR Link: <https://psr->

[assets.innpro.pl/creative_technologies/sg_creative_technologies_laser_engravers_and_cutters.pdf](https://psr-assets.innpro.pl/creative_technologies/sg_creative_technologies_laser_engravers_and_cutters.pdf),

Gross weight: 14350, Net weight: 11000, Box length: 81,50, Box width: 35,00, Box height: 19,50,

PPWR: <https://ppwr.innpro.pl/laserpecker>

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950