

Minix P165 GaN Wall Charger with 3x USB-C and 1x USB-A Ports



Model: NEO-P165

Manufacturer: MINIX

EAN: 4897016411823

Product Code: 877587

R1,812

Minix P165 GaN Wall Charger (3x USB-C, 1x USB-A)

The Minix P165 is a high-performance wall charger with a maximum power output of 165 W, featuring 4 ports—3x USB-C and 1x USB-A—that allow for simultaneous charging of multiple devices. Thanks to GaN (gallium nitride) technology, it delivers high power while maintaining compact dimensions of 68 × 76 × 33 mm. Support for the PD 3.1 standard and dynamic power management ensure that charging is fast, stable, and tailored to the connected devices.

Modern GaN technology - more power in a smaller form factor

The use of GaN technology allows for high performance while reducing the device's size. The charger maintains a compact form factor while delivering up to 165 W of power, which means you can power

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

demanding devices without needing multiple power adapters.

Four ports - convenient charging of multiple devices simultaneously

The P165 model offers three USB-C ports and one USB-A port, providing great flexibility for everyday use. USB-C1 supports up to 140 W, USB-C2 up to 100 W, USB-C3 up to 30 W, and USB-A up to 22.5 W, allowing you to charge a laptop, smartphone, tablet, or headphones simultaneously. Dynamic power distribution automatically adjusts settings to the connected devices. The charger also supports popular protocols, including PD 3.1/3.0/2.0, PPS, QC 5, and DCP, ensuring compatibility with a wide range of devices. Support for Apple 2.4A, AFC, and FCP further enhances versatility, enabling efficient charging of devices from various manufacturers.

Safety and Smart Power Management

The built-in safety system protects devices from short circuits, overvoltage, overcurrent, and overheating. This allows you to use the charger without worrying about the safety of your connected devices. Smart power distribution ensures stable charging even when multiple devices are connected simultaneously. The charger is equipped with interchangeable Type A (US), Type C (EU), and Type G (UK) plugs, allowing you to use it in various regions around the world. The wide AC input voltage range of 100–240 V makes it suitable for use at home, in the office, and while traveling.

Included:

- Charger with Type A (US) plug
- Type C (EU) plug
- Type G (UK) plug

Manufacturer	Minix
Model	NEO-P165
Maximum power	165 W
Number of ports	4

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Ports	3x USB-C, 1x USB-A
USB-C1 power	Up to 140 W
USB-C2 power	Up to 100 W
USB-C3 power	Up to 30 W
USB-A power	Up to 22.5 W
Supported protocols	PD 3.1/3.0/2.0, PPS, QC 5, DCP, AFC, FCP, Apple 2.4A
Input power	AC 100–240 V ~ 50/60 Hz, 2 A
Dimensions	68 × 76 × 33 mm
Protections	Short-circuit, overvoltage, overcurrent, thermal
Technology	GaN

GPSR Link: https://psr-assets.innpro.pl/gsm_accessories/sg_gsm_accessories_chargers.pdf, Gross weight: 370, Net weight: 300, Box length: 15,00, Box width: 12,50, Box height: 4,50, PPWR: <https://ppwr.innpro.pl/minix>

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950