

Uni-T LM1200G Laser Rangefinder



Model: LM1200G

Manufacturer: UNI-T

EAN: 6935750520680

Product Code: 878415

R4,293

Uni-T LM1200G Laser Rangefinder

The LM1200G is a laser rangefinder from the G series that performs well both on the golf course and in technical applications. Thanks to its high measurement precision and 6x optical zoom, it allows you to quickly determine distance, angle, height, or speed, which facilitates decision-making in the field. The flag lock function and golf mode support accurate aiming, while trajectory compensation helps you better assess your shot. A built-in vibration alert indicates when a target is locked, reducing the risk of error, while the clear LCD display ensures good visibility of data in various conditions. The rugged housing increases the device's durability, while the lithium-ion battery power supply ensures convenient use without frequent battery changes.

Included

- Uni-T LM1200G Laser Rangefinder
- USB cable

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- User manual
- Carrying case (case)
- Wrist strap

Manufacturer	Uni-T
Model	LM1200G
Distance measurement range	3 – 1200 m
Maximum measurement height	500 m
Speed measurement range	0 – 300 km/h
Angle measurement range	+/- 60 degrees
Distance measurement accuracy	+/- 1 m +/- distance x 0.2%
Height measurement error	+/- 0.5 m
Angle measurement error	+/- 1 degree
Magnification	6X
Objective lens diameter	19 mm
Eyepiece diameter	15 mm
Exit pupil	3.7 mm
Diopter adjustment range	+/- 6 diopters
Laser class	Class 1
Laser wavelength	905 nm
Flagpole lock	Yes
Golf trajectory compensation	Yes
Slope measurement	Yes
Height measurement	Yes
Auto power off	Yes
Power supply	3.7V 750mAh lithium battery
Charging	USB cable
Device dimensions	108 × 68 × 38 mm

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Net weight 2.3 g (according to the table)

Color Black and silver

Operating temperature -10°C ~ 50°C

GPSR Link: https://psr-assets.innpro.pl/tools/sg_tools_measuring_tools.pdf, Gross weight: 460, Net weight: 230, Box length: 10,80, Box width: 10,00, Box height: 17,50

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950