

Set of 2 NEEWER RGB1200 60W V4 LED Lights



Model: 10104230

Manufacturer: NEEWER

EAN: 6976831830120

Product Code: 878551

R9,037

Set of 2 NEEWER RGB1200 60W V4 LED Lights

The set of 2 NEEWER RGB1200 60W V4 LED lights is a versatile solution designed for videographers, photographers, streamers, and those working in creative production. Each light offers 60W of power and a whopping 1,056 LEDs, providing intense, even light with an intensity of up to 22,000 lux from a distance of 0.5 m. A wide color temperature range from 2,500 K to 8,500 K, a full 360° RGB palette, and extremely precise dimming allow you to create both natural and striking, colorful scenes. A sturdy aluminum construction, convenient app control, and the option of battery power make this kit ideal for both professional studio use and on-location work.

Precise light control and vast creative possibilities

The lights utilize advanced PWM linear dimming technology patented by NEEWER, enabling smooth brightness adjustment from a true 1% down to full 100% power. The high CRI97+ and TLCI98+ ratings ensure accurate color reproduction, which is crucial for video recording, product

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

photography, and live streaming. The full 360° RGB range opens up a wide range of possibilities for creating atmospheric shots and creative lighting arrangements. The ability to adjust the color temperature from a warm 2500 K to a cool 8500 K ensures that the lights easily adapt to both studio scenes and ambient lighting.

Special Effects and Music Synchronization

The RGB1200 V4 is equipped with 18 scene modes that allow you to quickly give your recordings a more dynamic and professional look. As many as 17 effects support presets, allowing you to instantly recall saved settings while working on set. The light-to-music synchronization feature deserves special attention. The lights react to the rhythm, volume, and pitch of sounds, creating dynamic, colorful lighting effects. The device also supports GM color correction, allowing for even more precise adjustment of light colors. Consistent light output without flickering or color shifts makes the kit ideal for fast-action shots taken at shutter speeds faster than 1/4000 of a second.

Convenient app control and 2.4G system

The lights can be controlled using the NEEWER app, which utilizes Infinity Connectivity technology. This solution allows you to simultaneously control multiple devices from a distance of up to 20 meters and organize them into up to 8 groups. The app enables control of up to 255 devices at once, significantly streamlining work with more complex lighting setups. The built-in 2.4G module and support for 99 channels also allow you to control compatible NEEWER lights without needing a network connection. Simply set the devices to the same channel to control them from a distance of up to 100 meters.

Mains Power and Mobile Battery Operation

The lights can be powered directly from a wall outlet using the included AC adapters, ensuring uninterrupted operation during long photo shoots or video recordings. For mobile use, you can use one or two NP-F750 or NP-F970 batteries, making the kit ideal for use outside the studio as well. The model also supports OTA wireless updates, allowing you to conveniently transfer new software directly from your smartphone to the light.

Robust construction and full positioning freedom

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

The housing is made of durable aircraft-grade aluminum, which ensures high resistance to damage and effective heat dissipation during intensive use. The U-shaped handle allows you to adjust the beam angle over a full 360° range, facilitating precise light positioning. The four-wing barn doors allow you to narrow or widen the light beam, and the included diffuser helps soften harsh lighting and achieve a more natural effect. The set also includes tripods with adjustable heights from 87 to 200 cm and a spacious carrying bag.

Included

- RGB1200 lamp x2
- White diffuser x2
- Tripod x2
- Power cord (US plug) x2
- Power adapter x2
- Carry bag
- User manual

Manufacturer	Neewer
Model	RGB1200
Number of LEDs	1056
Input voltage	15 V DC, 4.8 A
Maximum power	60 W
Illuminance	22,000 lx/0.5 m, 7,300 lx/m
Dimming range	0-100% (in 1% increments)
Color temperature	2,500 K-8,500 K (in 100 K increments)
CRI	97+
TLCI	98+
GM value	-50-50
Color angle	0-360°
Saturation	0-100%

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

Channels	00-99
Battery type	NP-F batteries
Dimensions	342 x 336 x 71 mm
Light stand height range	87-200 cm
Max. load	6 kg
Weight	10.8 kg

Carrying case dimensions 80 x 17 x 35 cm

With tripod: Yes, Adjustable intensity: Yes, Additional panels: Tak, Tła w zestawie: TAK, GPSR Link:
<https://psr->

[assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf](https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf), Gross weight: 12230, Net weight: 9703, Box length: 80,00, Box width: 45,00, Box height: 23,50

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950