

Neewer CB200B BI-COLOR LED Light



Model: 10103569

Manufacturer: NEEWER

EAN: 6976831830250

Product Code: 879177

R5,681

Neewer CB200B BI-COLOR LED Light

Video recording, portrait sessions, and product photography all require lighting that gives you full control over the atmosphere of the shot and faithfully captures every detail. The Neewer CB200B BI-COLOR offers a power output of up to 210W, impressive brightness of up to 90,000 lux at a distance of 1 meter, and a wide color temperature range from warm 2700K to cool 6500K. Thanks to a high CRI/TLCI rating of 97+, the light renders natural colors, resulting in a professional look for photos and videos. The design is tailored for demanding creators—it features a quiet cooling system, app control, a Booster mode, and a universal Bowens mount that allows for the use of various light modifiers.

Light designed for photos and videos

The high-performance COB LED generates stable, flicker-free light that works great both in the studio and on the film set. With a maximum power of 210W and a light intensity of up to 90,000 lux

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

at 1 meter, it can effectively illuminate even the most complex scenes. Brightness control ranging from 0 to 100% allows for precise adjustment of light intensity to suit a specific shot, and the wide color temperature range of 2700K-6500K makes it easy to create the right atmosphere for your recording or photo shoot. A high CRI/TLCI rating of 97+ ensures accurate color reproduction, making skin, products, and set elements look natural and attractive.

12 scene effects and two operating modes

The light is equipped with 12 preset lighting effects that help enrich your recordings with dynamic and creative elements. This is a great solution for producing commercials, vlogs, or social media content. Booster mode allows you to activate the device's full power with a single button (approximately 210W and brightness up to 90,000 lux at 1 meter), while simultaneously activating the fan for more effective cooling. For projects with more demanding acoustic requirements, there is a Silent mode, in which the fan remains off and the lamp operates at approximately 60W with a brightness of up to 30,000 lux, which works well during professional audio recordings and interviews.

Convenient app control and 2.4G system

The Neewer CB200B BI-COLOR offers modern remote control capabilities via the NEEWER app, which utilizes Infinity technology. It allows you to simultaneously manage the settings of multiple compatible lights from your smartphone within a range of up to 20 meters. The model is compatible with, among others, the NEEWER SL90, RGB1, RGB C80, RGB 1200, MS60C, MC60B, BH30S, and CB60B lights, making it easy to build an extensive lighting system. The built-in 2.4G module and support for 99 channels allow for remote control of lights set to the same channel from a distance of up to 100 meters.

Quiet operation and effective cooling

An ultra-quiet fan and an improved heat dissipation system ensure comfortable operation, helping to maintain a stable temperature even during long photo shoots and video recordings. The aluminum housing further supports effective cooling and increases the durability of the entire unit. The easy-to-read LCD screen displays key operating parameters, such as brightness level, channel number, and current device temperature, ensuring that all settings are always under control. The manufacturer has also ensured LED protection by equipping the light with a special scratch-resistant cover.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Versatile mounting and complete freedom to work with light

The Bowens standard used opens up access to a vast number of light modifiers, such as softboxes, reflectors, and beauty dishes, allowing you to tailor the lighting character to any project. The included reflector with a silver interior helps distribute light evenly and increase its efficiency. The improved U-shaped mount allows for 360° adjustment of the beam angle, providing great flexibility when positioning the lamp on set. The enlarged knob with increased friction effectively stabilizes the selected position, and the umbrella socket located at the base further expands your lighting options.

Included

- studio flash
- standard reflector
- protective cover
- power cable
- user manual

Manufacturer	Neewer
Model	CB200B
Power supply	100-240 V AC, 50/60 Hz
Maximum power	210 W
CRI	97+
TLCI	97+
Maximum illuminance	90,000 lux / 1 m
Brightness range	0% - 100%
Color temperature range	2700 K - 6500 K
Available scenes	12
Channel range	CH.0 - CH.99
Operating temperature	-10-50°C
Safe LED temperature	≤ 158°F / 70°C

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

Dimensions 24 cm x 16 cm x 12.5 cm

Weight with reflector 2.93 kg

GPSR Link: <https://psr->

[assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf](https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf), Gross weight: 4220, Net weight: 4130, Box length: 24,00, Box width: 23,50, Box height: 51,00

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950