

CABLE USB2.0 MALE TO MALE/3M BLACK COQBI VENTION

Model: COQBI

Manufacturer: VENTION

EAN: 6922794748583

Product Code: 893077

R597

Reject Distortion/Error

More efficient printing.

No Delay

Long-distance transmission is still stable and smooth.

- 0.5m-5m: No magnetic ring.
- 10m-15m Double magnetic ring.

Efficient and High-quality Printing

- Tinned copper conductor has strong conduction.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- Double shielding anti-interference.

Smoother Insertion and Removal

- Sleek corner design integrated interface.
- 3000 times swapping tests.
- Note: All data are from Vention lab.

Strong and Durable

Thickened PVC jacket extended service life.

Stable without Breaking

11mm lengthened reinforced tail.

Wide Compatibility

Please confirm whether the required interfaces are consistent before purchasing.

Suitable for Various Occasions

Same efficiency on different occasions.

- Supports up to 480 Mbps data transmission speed
- Plug and play, easy to operate
- Compatible with USB type B printersEfficient printing, reject distortion delay
- No distortion no error
- Dual magnetic ring anti-interference
- Aluminium foil metal braided
- Smooth swapping one piece
- Stable strong and durable
- Multi-device universal

Summary: Vention USB 2.0 A Male to B Male Cable 3M Black PVC Type. Cable length: 3 m. Connector 1: USB A, Connector 2: USB B, USB version: USB 2.0, Maximum data transfer rate: 0.48 Gbit/s, Connector contacts plating: Nickel, Product colour: Black | Vendor Homepage: https://ventiontech.com/products/vention-usb-printer-cable-usb-2-0-type-a-male-to-b-male-sync-data-scanner-printer-cable-for-zjiang-hp-canon-epson-usb-

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

printer?_pos=1&_psq=COQ&_ss=e&_v=1.0 | Cable length: 3 | Cable diameter: 4.5 | USB version: USB 2.0 | Connector 1: USB A | Connector 2: USB B | Connector 1 gender: Male | Connector 2 gender: Male | Connector 1 form factor: Straight | Connector 2 form factor: Straight | AWG wire size: 28/24 | Connector contacts plating: Nickel | Cable jacket material: Polyvinyl chloride (PVC) | Conductor material: Copper | Maximum data transfer rate: 0.48 | Maximum data transfer rate: 480 | Plug and Play: Yes | Product colour: Black | Output current (max): 2 | Package type: Polybag | Quantity per pack: 1 | Unit Calculated Weight: 0.107 | Product Net Weight: 0.09 | Unit Calculated Volume: 0.000456 | Units per Shipping Box: 150 | Unit Width: 19 | Units per Pallet: 0 | Shipping Box Height: 38 | Unit Depth: 2 | Unit Height: 26 | Name: CABLE USB2.0 MALE TO MALE/3M BLACK COQBI VENTION | Model: COQBI | Model name: USB 2.0 A Male to B Male Cable 3M Black PVC Type

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950