

# Photovoltaic panel EcoFlow 100W



Model: 5006001001

Manufacturer: ECOFLOW

EAN: 4897082668619

Product Code: 894965

## R3,861

### EcoFlow 100W photovoltaic panel (flexible)

Equip yourself with the EcoFlow 100W photovoltaic panel and create an optimal power system in your RV. The panel is distinguished by its low weight and easy installation. Thanks to its flexible design, you can easily fit it to curved surfaces, while its IP68 water resistance and use of robust materials make the product survive any conditions.

### Efficient performance

The EcoFlow photovoltaic panel uses the highest quality monocrystalline cells, and its conversion efficiency reaches 23%, ensuring high efficiency on a sunny day. This will help you power your essential equipment with free, widely available and environmentally friendly solar energy no matter where you are.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

### Lightweight and portable

The product weighs only 2.3 kilograms, so it is not difficult to transport and during installation. It will be perfect, for example, on an RV, because thanks to its flexible design you can easily fit it to a rounded surface. Another advantage is the universal MC4 connector, which ensures wide compatibility.

### Specification:

|                           |                                            |
|---------------------------|--------------------------------------------|
| Manufacturer              | EcoFlow                                    |
| Name                      | EcoFlow 100W photovoltaic panel (flexible) |
| Rated power               | 100W                                       |
| Open circuit voltage      | 20.3V                                      |
| Short-circuit current     | 6.3A                                       |
| Maximum operating voltage | 17.1V                                      |
| Maximum operating current | 5.9A                                       |
| Maximum system voltage    | 600V DC (UL)                               |
| Maximum fuse current      | 15A                                        |
| Connector                 | MC4                                        |
| Conversion efficiency     | 23%                                        |
| Dimensions                | 1055x612x25mm                              |
| Weight                    | Approx. 2.3 kg                             |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Konstrukcja: Elastyczna, Panel dwustronny: Nie, Rekomendowane do Power Stream: Tak, Sprawność energetyczna: >23%, Waga: poniżej 5 kg, Net weight: 2200, Box length: 113,00, Box width: 69,00, Box height: 4,70, Gross weight: 3920, Type: Flexible, Built-in charge controller: No, Weight (kg): 2.3, Rated voltage (V): 17.1, Rated power (W): 100, Rated current (A): 6.3, GPSR Link: [https://psr-assets.innpro.pl/energy/sg\\_energy\\_photovoltaiv\\_panels.pdf](https://psr-assets.innpro.pl/energy/sg_energy_photovoltaiv_panels.pdf), GARAN: <https://garan.innpro.pl/ecoflow/4897082668619>

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[itworkup.co.za](https://itworkup.co.za) | [sales@itworkup.co.za](mailto:sales@itworkup.co.za) | +27 (11)541-9950