

GODOX DP800III-V Flash



Model: DP800III-V

Manufacturer: GODOX

EAN: 6952344225677

Product Code: 913203

R9,632

GODOX DP800III-V Flash

The GODOX DP800III-V flash, with 800Ws of power, is a studio flash featuring a Bowens mount, a built-in Godox X 2.4 GHz wireless system, and a 30W LED modeling light. It offers smooth power adjustment from 1/1 to 1/64, an extremely fast recharge time of just 1 second, a color temperature of 5800K, and a guide number of 126. The DP800III-V is designed for portrait, product, fashion, and wedding photography, providing stable flash power, intuitive operation, and broad compatibility with Bowens-mount accessories.

High Power and Precise Control

With 800Ws of power, this flash is ideal for demanding photo shoots that require a large amount of light. Power adjustment in 61 steps, from 1/1 to 1/64, allows you to precisely adjust the flash intensity to suit the chosen shooting setup and the light modifiers being used. Additionally, the unit maintains a stable color temperature of 5800K (± 200 K), which helps ensure consistent colors across consecutive shots.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Fast charging and short flash duration

A maximum recharge time of approximately 1 second allows you to efficiently take consecutive shots without long waits. A flash duration ranging from 1/800 to 1/2000 of a second helps capture dynamic shots and minimize blur in moving subjects.

Built-in Godox X 2.4 GHz System

The DP800III-V features an integrated Godox X system receiver, allowing it to be controlled remotely without the need for additional receivers. Support for 16 groups, 32 channels, and 99 wireless IDs makes it easy to manage multiple strobes simultaneously and helps minimize interference from other systems operating nearby. Power can be adjusted either directly on the flash or using a compatible Godox X transmitter.

Bowens Mount and Wide Compatibility

The standard Bowens mount ensures compatibility with many popular light modifiers. The flash is compatible with softboxes, beauty dishes, reflectors, spot heads, and other accessories that use this mounting standard, allowing you to easily adapt the lighting to the type of shoot you’re doing.

Included in the set

- Godox DP800III-V flash
- Power cord
- Flash head cover

Manufacturer	Godox
Model	DP800III-V
Flash power	800 Ws
Guide number	126
Power adjustment	1/1 – 1/64 (61 levels)
Color temperature	5800 K ±200 K

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

Flash duration	1/800 – 1/2000 s
Maximum recharge time	1 s
Modeling light	30 W LED
Control	From the flash unit and remotely via the Godox X system
Wireless system	Godox X 2.4 GHz
Groups	16 (0-9, A-F)
Channels	32
Wireless IDs	99
Light modifier mount	Bowens
Power supply	AC 100–240 V, 50/60 Hz
Dimensions	13 × 22 × 38 cm
Weight	2.8 kg

GPSR Link: https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf, Gross weight: 4200, Net weight: 4528, Box length: 44,00, Box width: 19,50, Box height: 23,50