



TP-Link Archer T4E Internal WLAN 867 Mbit/s

Model: Archer T4E

Manufacturer: TP-LINK

EAN: 8885020628517

Product Code: 935433

R1,105

Mounting brackets included: Yes | Bandwidth (second): 5 GHz | Low-profile bracket: Yes | Height: 21.5 mm | Host interface: PCI Express | Detachable antenna(s): Yes | PCI Card form factor: Half-height (low-profile) | Bandwidth (first): 2.4 GHz | Transmit power range: 59.5 - 92 dBmW | Conflict-Free: Yes | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Resource CD: Yes | Operating modes: Infrastructure mode | Harmonized System (HS) code: 85176990 | Interface: WLAN | Antenna: Yes | WLAN data transfer rates supported: 11 | WLAN data transfer rates supported: 54 | WLAN data transfer rates supported: 867 Mbit/s | WLAN data transfer rates supported: 300 | Package type: Box | Operating relative humidity (H-H): 10 - 90% | Component for: PC | Maximum data transfer rate: 867 Mbit/s | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 10 Education x64 | Security algorithms: WPA2-PSK | Networking standards: IEEE 802.11ac | Security algorithms: WPA-PSK | Storage relative humidity (H-H): 5 - 90% | Networking standards: IEEE 802.11a | Security algorithms: 64-bit WEP | Security algorithms: WPA2 | Networking standards: IEEE 802.11b | Security algorithms: 128-bit WEP |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

Operating temperature (T-T): 0 - 40 °C | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows 10 Education | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Package weight: 300 g | Windows operating systems supported: Windows 8.1 | Security algorithms: WPA | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 8.1 Enterprise | Security algorithms: 802.1x RADIUS | Package width: 207 mm | Modulation: DBPSK | Modulation: OFDM | Modulation: 16-QAM | Modulation: CCK | Modulation: 256-QAM | Modulation: 64-QAM | Modulation: DQPSK | Networking standards: IEEE 802.11g | Networking standards: IEEE 802.11n | Storage temperature (T-T): -40 - 70 °C | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows 7 Home Basic x64 | Windows operating systems supported: Windows 7 Professional x64 | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows 8 | Windows operating systems supported: Windows XP Professional x64 | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8 Enterprise | Windows operating systems supported: Windows 10 IOT Core | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Windows operating systems supported: Windows XP Home x64 | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows 7 Enterprise x64 | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 10 Enterprise x64 | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Depth: 115.2 mm | Wi-Fi standards: Wi-Fi 4 (802.11n) | Antennas quantity: 2 | Wi-Fi standards: 802.11g | Package height: 42 mm | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Wi-Fi standards: 802.11a | Windows operating systems supported: Windows XP | Windows operating systems supported: Windows 10 IoT Enterprise | Quantity per pack: 1 pc(s) | Wi-Fi standards: 802.11b | Windows operating systems supported: Windows 7 x64 | Wi-Fi: Yes | Windows operating systems supported: Windows 10 x64 | Width: 120.8 mm | Internal: Yes | Package depth: 148 mm | Quick installation guide: Yes | Compliance certificates:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Federal Communications Commission (FCC) | Compliance certificates: RoHS | Compliance
certificates: CE | Product colour: Black | Product colour: Green | Connectivity technology: Wireless |
Sustainability compliance: Yes | Transmitting power (CE): 23 dBm | Antenna design: External |
Transmitting power (FCC): 24 dBm

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices
may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or
typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950