



HP DeskJet 2910 Wireless All-in- One Color Printer, Instant Ink



HP Instant Ink⁴

Dzięki usłudze HP Instant Ink masz zawsze pod ręką tusz, kiedy go potrzebujesz i nie musisz się martwić, że nagle się wyczerpie.⁴

Model: 89F98B

Manufacturer: HEWLETT-PACKARD

EAN: 198828789556

Product Code: 936887

R1,502

Replacement cartridges: HP 308 Black Original Ink Cartridge (~160 pages yield) 7FP21UE HP 308 Tri-Color Original Ink Cartridge 7FP20UE (~120 pages yield) HP 308e EvoMore Black Original Ink Cartridge (~320 pages yield) 7FP22UE. | Box contents: HP DeskJet 2910 All-in-One Printer HP 308 Setup Black Cartridge HP 308 Setup Tri-Color Cartridge Regulatory flyer Setup guide Reference guide Power cord For ink volume and page yield information, visit <http://hp.com/go/learnaboutsupplies> | Bundled software: HP app, available online | Recommended system requirements: Microsoft Windows 11 10 1 GHz processor 2 GB available hard disk space Internet connection. Apple macOS 13 Ventura macOS 14 Sonoma macOS 15 Sequoia 2 GB HD Internet required. | Manufacturer warranty: One-year limited warranty. For more info please visit us at <http://support.hp.com> .For full terms and conditions visit: www.hp.com/go/orderdocuments .Warranty and support options vary by product, country, and local legal requirements | Compatible operating systems: Windows 11 Windows 10 macOS 13 Ventura macOS 14 Sonoma macOS 15 Sequoia | Certification: EN

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

55032:2015+A11:2020 Class B EN 55035:2017+A11:2020 EN IEC 61000-3-2:2019 EN 61000-3-2:2014 EN 61000-3-3:2013 +A1:2019 EN 301 489-1 V2.2.3 CISPR 32 2015+A1:2019 Class B CISPR 35:2016 FCC CFR 47 Part 15 ICES-003, Issue 7 VCCI-CISPR32:2016. | Carbon emissions, end-of-life (kg of CO2e): 13 | Carbon emissions, manufacturing (kg of CO2e): 102 | Total carbon emissions, w/o use phase (kg of CO2e): 23 | Scan drivers: TWAIN | Maximum duty cycle: 1000 pages per month | Non-operating relative humidity (non-condensing): 5 - 90% | Image formats supported: PNG | Maximum number of copies: 9 copies | Print speed (ISO/IEC 24734) black: 7.5 ppm | Maximum ISO A-series paper size: A4 | Input colour depth: 24 bit | Time to first page (colour, normal): 20 s | Scanner type: Flatbed scanner | Digital sender: No | Image formats supported: TIFF | Maximum input capacity: 60 sheets | Maximum internal memory: 64 MB | Included cartridge capacity (black): 100 pages | Scan technology: CIS | Mobile printing technologies: Mopria Print Service | Envelopes sizes: B5 | Print speed (black, draft quality, A4/US Letter): 20 ppm | Print speed (black, normal quality, A4/US Letter): 7.5 ppm | Power consumption (sleep): 1.31 W | UNSPSC-code: 43212110 | Power supply type: Internal | Duplex scanning: No | Duplex printing mode: Manual | Recommended operating temperature range (T-T): 15 - 30 °C | Number of print cartridges: 2 | Time to first page (black, normal): 16 s | Paper tray media weight: 60 - 300 g/m² | Maximum output capacity: 25 sheets | Sustainability compliance: Yes | Page description languages: PCL 3 GUI | HP segment: Home | Photo paper sizes (imperial): 8x10 | Harmonized System (HS) code: 8443310000 | Total output capacity: 25 sheets | ISO A-series sizes (A0...A9): A4 | Envelope feeder: No | Duplex functions: Print | Duplex printing: Yes | Envelopes sizes: DL | Print margin left (min): 3 mm | Document formats supported: PDF | Non-ISO print media sizes: Legal | Greyscale levels: 256 | Page description languages: PCLm | Maximum copy resolution: 300 x 300 DPI | Print margin bottom (min): 1.27 cm | Introduction year: 2025 | USB port: Yes | Photo paper sizes (imperial): 4x6 | Cartridge(s) included: Yes | Print margin right (min): 3 mm | Print speed (ISO/IEC 24734) colour: 5.5 ppm | All-In-One-multitasking: Yes | Recommended duty cycle: 50 - 100 pages per month | Carbon emissions, logistics (kg of CO2e): 3 | Page description languages: URF | Duplex copying: No | Print resolution colour: 4800 x 1200 DPI | Control type: Buttons | Included cartridge capacity (CMY): 60 pages | Number of print heads: 2 | Sound power level (printing): 6.3 dB | Non-ISO print media sizes: Letter | Print speed (colour, draft quality, A4/US Letter): 16 ppm | HP Dynamic security: Yes | HP GTIN (EAN/UPC) with options: (301) 889894419385 (30A) 199764693914 (30B) 199764693945 (30N) 199642338074 (LS1) 199764693969 (LS2) 199764693983 (LS3) 199764693990 (NE1) 199642338098 | Print margin top (min): 3 mm | Mobile printing technologies: Apple AirPrint | Recommended humidity operating range: 20 - 80% | Total input capacity: 60 sheets | Paper tray media types: Envelopes | Total carbon footprint (kg of CO2e): 0.8 | Custom media sizes: 76 x 127 to 215 x 355 mm | Total number of input

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

trays: 1 | ISO A-series sizes (A0...A9): A6 | Paper tray media types: Plain paper | Sustainable technologies and materials: At least 70% post-consumer recycled plastic Recyclable through HP Planet Partners FSC Certified Packaging | Maximum resolution: 4800 x 1200 DPI | Number of users: 3 user(s) | Paper tray media types: Photo paper | Image formats supported: JPEG | Colour name: Cement noir with cement noir accents | HP GTIN (EAN/UPC): 889894419385, 199764693914, 199764693945, 199642338074, 199764693969, 199764693983, 199764693990, 199642338098 | Printing colours: Black, Cyan, Magenta, Yellow | Photo paper sizes (imperial): 5x7 | Print resolution black: 1200 x 1200 DPI | ISO B-series sizes (B0...B9): B5 | Maximum number of input trays: 1 | Print speed (colour, normal quality, A4/US Letter): 5.5 ppm | Power consumption (ready): 2.55 W | HP Instant Ink: Yes | Operating relative humidity (H-H): 15 - 80% | User guide: Yes | Internal memory: 64 MB | Package weight: 4.58 kg | Wi-Fi standards: 802.11a | Storage temperature (T-T): -40 - 60 °C | Height: 154 mm | Custom media width: 76 - 215 mm | AC input voltage: 100 - 240 V | Built-in display: Yes | Ethernet LAN: No | Scanning: Colour scanning | Printing: Colour printing | USB 2.0 ports quantity: 1 | Faxing: No | Copying: Colour copying | Width: 425 mm | Custom media length: 127 - 355 mm | Optical scanning resolution: 1200 x 1200 DPI | PictBridge: No | Processor frequency: 1000 MHz | Maximum scan area: 216 x 297 mm | AC input frequency: 50/60 Hz | Copy speed (colour, normal quality, A4): 3 cpm | Operating temperature (T-T): 5 - 40 °C | Maximum print size: 209.9 x 349.6 mm | Print technology: Thermal inkjet | Depth: 304 mm | Direct printing: No | Windows operating systems supported: Windows 11 | Mac operating systems supported: MacOS | Windows operating systems supported: Windows 10 | Cables included: AC | Mac operating systems supported: Mac OS X 14.0 Sonoma | Package width: 475 mm | Weight: 3.42 kg | Built-in processor: Yes | Power consumption (off): 0.1 W | Package depth: 191 mm | Wi-Fi: Yes | Product colour: Grey | Wi-Fi standards: Wi-Fi 4 (802.11n) | Display: LCD | Mac operating systems supported: Mac OS X 13.0 Ventura | Processor frequency: 1 GHz | Wi-Fi standards: 802.11g | Copy speed (black, normal quality, A4): 6 cpm | Wi-Fi standards: 802.11b | Package height: 354 mm

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950