



HP LaserJet Pro MFP 4102fdw Printer Laser A4 1200 x 1200 DPI 40 ppm Wi-Fi

Model: 2Z624F

Manufacturer: HEWLETT-PACKARD

EAN: 195161936289

Product Code: 936894

R8,923

Recommended system requirements: 2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard drive space Internet connection or USB port Internet browser. | Replacement cartridges: HP 149A Black Original LaserJet Toner Cartridge (~2,900 pages), W1490A HP 149X Black Original LaserJet Toner Cartridge (~9,500 pages), W1490X | Certification: CISPR 32:2015 Class B / EN 55032:2015 Class B CISPR 35:2016 / EN 55035:2017 Class B EN IEC 61000-3-2:2019 EN 61000-3-3:2013+A1:2019 EN 61000-4-12:2016 FCC CFR 47 Part 15 Class B ICES-003, Issue 7 Class B | Box contents: HP LaserJet Pro MFP 4102fdw Printer Preinstalled HP Black Original LaserJet Toner Cartridge (2,900 pages) Getting Started Guide Support Flyer Warranty Guide Regulatory Flyer Power cord USB cable | Compatible operating systems: Windows 11 Windows 10 Windows Client OS Android iOS Mobile OS macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 15 Sequoia Chrome OS | Ethernet LAN: Yes | Built-in display: Yes | Depth: 390 mm | Package weight: 15.5 kg | Display: CGD | Mac operating systems supported:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Mac OS X 13.0 Ventura | Custom media width: 76.2 - 215.9 mm | Windows operating systems supported: Windows 10 | Cables included: AC | Power consumption (off): 0.06 W | Copier resize: 25 - 400% | Weight: 12.6 kg | Wi-Fi standards: Wi-Fi 4 (802.11n) | Internal memory: 512 MB | Windows operating systems supported: Windows 11 | Security algorithms: HTTPS | Security algorithms: EAP-PEAP | Wi-Fi standards: 802.11b | Height: 323 mm | Scanner type: Flatbed scanner | Image formats supported: JPG | Image formats supported: TIFF | Package height: 490 mm | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Direct printing: Yes | Maximum scan resolution: 1200 x 1200 DPI | Scanning: Colour scanning | Package depth: 398 mm | Ethernet LAN data rates: 10,100,1000 Mbit/s | Mac operating systems supported: MacOS | Auto document feeder (ADF) input capacity: 50 sheets | Bluetooth: Yes | USB 2.0 ports quantity: 1 | Product colour: White | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Display diagonal: 6.86 cm (2.7") | Wi-Fi: Yes | Scan to: E-mail | Operating temperature (T-T): 10 - 32.5 °C | Scan to: WIA | Scan to: Software | Copying: Mono copying | Processor frequency: 1200 MHz | AC input frequency: 50/60 Hz | Width: 420 mm | Maximum scan area: 216 x 297 mm | Storage temperature (T-T): -20 - 40 °C | Power consumption (PowerSave): 0.9 W | Number of print cartridges: 1 | Custom media length: 127 - 355.6 mm | Scan to: TWAIN | Security algorithms: WPA2 | Faxing: Mono faxing | Security algorithms: SSL/TLS | Maximum print size: 207.4 x 347.1 mm | Package width: 497 mm | Security algorithms: EAP-TLS | Security algorithms: LEAP | N-in-1 copy function (N=): 2 | AC input voltage: 220 - 240 V | Optical scanning resolution: 1200 x 1200 DPI | Cabling technology: 10/100/1000Base-T(X) | Mac operating systems supported: Mac OS X 12.0 Monterey | Printing: Mono printing | Print technology: Laser | USB port: Yes | Wi-Fi standards: 802.11g | Copy speed (black, normal quality, A4): 38 cpm | Duplex scanning: Yes | Scan technology: CIS | Auto fit function: Yes | Auto reduction: Yes | Other operating systems supported: Android | Paper tray media types: Recycled paper | Duplex copying: Yes | Other operating systems supported: ChromeOS | Recommended duty cycle: 750 - 4000 pages per month | Sound pressure level (printing): 54 dB | Duplex functions: Copy | Photo paper sizes (imperial): 5x8" | Printing colours: Black | All-In-One-multitasking: Yes | Photo paper sizes (imperial): 4x6 | Speed dialling: Yes | Duplex printing mode: Auto | Warranty card: Yes | Auto-redialing: Yes | Fax speed dialling (max numbers): 200 | Duplex functions: Print | Mobile operating systems supported: Android | Duplex printing: Yes | Total number of input trays: 2 | HP Management tools: HP Printer Assistant HP SNMP Proxy HPWSProProxy Agent | Envelopes sizes: 10 | Booklet printing function: Yes | Power consumption (sleep): 0.9 W | Fax transmission speed: 6 sec/page | Economical printing: Yes | ISO C-series sizes (C0...C9): C5 | Page description languages: PCL 5e | Secure printing: Yes | Included cartridge capacity (black): 2900 pages | Print resolution black: 1200 x 1200 DPI | Maximum duty

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

cycle: 80000 pages per month | Other operating systems supported: iOS | Number of users: 10 user(s) | ISO A-series sizes (A0...A9): A6 | Scan speed (black): 29 ppm | Page description languages: PCL 6 | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Maximum input capacity: 900 sheets | Envelopes sizes: C5 | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | HP segment: Small medium business | Maximum resolution: 1200 x 1200 DPI | Envelopes sizes: DL | N-in-1 copy function: Yes | Recommended humidity operating range: 30 - 70% | Power consumption (ready): 7.5 W | Non-ISO print media sizes: Statement | Scan speed (colour): 20 ppm | Non-ISO print media sizes: Oficio | Colour display: Yes | Greyscale levels: 256 | Non-ISO print media sizes: 16K | Non-ISO print media sizes: Hagaki card | Cartridge(s) included: Yes | Acoustic power emissions (ready): Inaudible | Custom media sizes: Tray 1: 76.2 x 127 to 215.9 x 355.6 mm Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm | Carbon emissions, logistics (kg of CO2e): 3 | Paper tray media types: Labels | Envelopes sizes: Monarch | Envelopes sizes: B5 | HP JetAdvantage Secure Print: Yes | Control type: Touch | Recommended operating temperature range (T-T): 15 - 27 °C | HP Dynamic security: Yes | Power supply type: Internal (Built-in) power supply | Sound pressure level (scanning): 48 dB | Maximum internal memory: 512 MB | Warm-up time: 45 s | HP Web Jetadmin: Yes | Page description languages: URF | ISO A-series sizes (A0...A9): A5 | Print speed (black, normal quality, A4/US Letter): 40 ppm | Fax delayed sending: No | Scan drivers: WIA | Mobile printing technologies: Apple AirPrint | Carbon emissions, end-of-life (kg of CO2e): 13 | UNSPSC-code: 43212110 | Fax memory: 400 pages | Envelope feeder: No | Total carbon footprint (kg of CO2e): 0.8 | Wi-Fi Direct: Yes | Maximum number of input trays: 3 | Paper tray 2 input capacity: 250 sheets | HP GTIN (EAN/UPC) with options: (301) 889894419385 (30A) 199764693914 (30B) 199764693945 (30N) 199642338074 (LS1) 199764693969 (LS2) 199764693983 (LS3) 199764693990 (NE1) 199642338098 | Fax polling: No | Maximum ISO A-series paper size: A4 | Time to first page (black, normal): 6.3 s | Printer fonts: TrueType | Page description languages: PostScript 3 | Page description languages: PDF | Fax resolution (black): 300 x 300 DPI | Total carbon emissions, w/o use phase (kg of CO2e): 23 | Printer fonts: Scalable | Carbon emissions, manufacturing (kg of CO2e): 102 | HP GTIN (EAN/UPC): 889894419385, 199764693914, 199764693945, 199642338074, 199764693969, 199764693983, 199764693990, 199642338098 | Page description languages: PWG | Paper tray media types: Rough paper | Paper tray media types: Heavy paper | Paper tray media types: Lightweight paper | Paper tray media types: Bond paper | Fax forwarding: Yes | Maximum copy resolution: 600 x 600 DPI | Input colour depth: 24 bit | Paper tray media types: Plain paper | ID-card copy function: Yes | Total input capacity: 350 sheets | Total output capacity: 150 sheets | Document formats supported: PDF | HP Auto-On/Auto-Off: Yes | Modem speed: 33.6 Kbit/s | ISO B-series sizes (B0...B9): B5 | Duplex print speed (black, normal quality, A4/US Letter): 34 ppm | Mobile printing technologies: Mopria Print

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Service | Power consumption (printing): 510 W | Maximum output capacity: 150 sheets | ISO A-series sizes (A0...A9): A4 | Maximum number of copies: 9999 copies | Time to first copy (black, normal): 7.2 s | Scan drivers: TWAIN | Sound power level (printing): 6.7 dB | Watermark printing: Yes | Paper tray media types: Letterhead | N-in-1 print function: Yes | Paper tray media weight: 60 - 200 g/m² | Sustainable technologies and materials: Recyclable through HP Planet Partners Compatible with Accessibility Accessories Contains post-consumer recycled plastic | Paper tray 1 input capacity: 100 sheets | Sustainability compliance: Yes | Compliance certificates: BSMI | Warnings: Avoid contact with toner, it can irritate the skin and respiratory tract. | Compliance certificates: GS mark | Compliance certificates: CE | Warnings: Be careful when handling the device, it may contain live parts. | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: CCC | Compliance certificates: BIS | General Product Safety Regulation (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true | Compliance certificates: EAC | Warnings: The product requires special disposal - do not dispose of in normal waste.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950