



HP LaserJet Pro MFP 4102fdn Printer Laser A4 1200 x 1200 DPI 40 ppm

Model: 2Z623F

Manufacturer: HEWLETT-PACKARD

EAN: 195161936203

Product Code: 936895

R8,089

Compatible operating systems: Windows 11 Windows 10 Windows Client OS Android iOS Mobile OS macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 15 Sequoia Chrome OS | Recommended system requirements: 2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard drive space Internet connection or USB port Internet browser. | Replacement cartridges: HP 149A Black Original LaserJet Toner Cartridge (~2,900 pages), W1490A HP 149X Black Original LaserJet Toner Cartridge (~9,500 pages), W1490X | Manufacturer warranty: One-year, onsite repair. Warranty and support options vary by product, country and local legal requirements. | Box contents: HP LaserJet Pro MFP 4102fdn Printer Preinstalled HP Black Original LaserJet Toner Cartridge (2,900 pages) Getting Started Guide Support Flyer Warranty Guide Regulatory Flyer Power cord | Certification: CISPR 32:2015 Class B / EN 55032:2015 Class B CISPR 35:2016 / EN 55035:2017 Class B EN IEC 61000-3-2:2019 EN 61000-3-3:2013+A1:2019 EN 61000-4-12:2016 FCC CFR 47 Part 15 Class B ICES-003, Issue 7 Class B |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Package depth: 398 mm | Windows operating systems supported: Windows 11 | Package height: 490 mm | Security algorithms: LEAP | AC input frequency: 50/60 Hz | Height: 323 mm | Built-in display: Yes | Display diagonal: 6.86 cm (2.7") | Product colour: White | Security algorithms: SSL/TLS | Weight: 12.6 kg | Width: 420 mm | Depth: 390 mm | Security algorithms: WPA2 | Security algorithms: EAP-TLS | Mac operating systems supported: Mac OS X 12.0 Monterey | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Security algorithms: HTTPS | Security algorithms: EAP-PEAP | Display: CGD | Mac operating systems supported: Mac OS X 13.0 Ventura | Ethernet LAN data rates: 10,100,1000 Mbit/s | Mac operating systems supported: MacOS | Package width: 497 mm | Print technology: Laser | Storage temperature (T-T): -20 - 40 °C | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Wi-Fi: No | Power consumption (off): 0.06 W | Package weight: 15.5 kg | USB 2.0 ports quantity: 2 | Ethernet LAN: Yes | AC input voltage: 220 - 240 V | Operating temperature (T-T): 10 - 32.5 °C | Windows operating systems supported: Windows 10 | Cables included: AC | Copier resize: 25 - 400% | Power consumption (PowerSave): 0.9 W | Processor frequency: 1200 MHz | Cabling technology: 10/100/1000Base-T(X) | Sustainable technologies and materials: Recyclable through HP Planet Partners Compatible with Accessibility Accessories Contains post-consumer recycled plastic | Paper tray 1 input capacity: 100 sheets | Maximum print size: 207.4 x 347.1 mm | HP segment: Small medium business | Maximum duty cycle: 80000 pages per month | Maximum internal memory: 512 MB | Warm-up time: 45 s | Printing colours: Black | Auto document feeder (ADF) input capacity: 50 sheets | Sound power level (printing): 6.7 dB | Included cartridge capacity (black): 2900 pages | Duplex scanning: Yes | USB port: Yes | Scan speed (black): 29 ppm | Page description languages: PCL 6 | N-in-1 copy function (N=): 2 | Fax forwarding: Yes | Duplex functions: Print | Duplex functions: Copy | Auto-redialing: Yes | Page description languages: URF | Maximum copy resolution: 600 x 600 DPI | Greyscale levels: 256 | All-In-One-multitasking: Yes | Faxing: No | Power supply type: Internal (Built-in) power supply | Print speed (black, normal quality, A4/US Letter): 40 ppm | Fax delayed sending: No | Printing: Mono printing | Internal memory: 512 MB | Input colour depth: 24 bit | Custom media width: 76.2 - 215.9 mm | Maximum scan area: 216 x 297 mm | Page description languages: PWG | HP Dynamic security: Yes | Printer fonts: TrueType | Economical printing: Yes | ISO C-series sizes (C0...C9): C5 | Page description languages: PostScript 3 | Page description languages: PDF | Page description languages: PCL 5e | Scanner type: Flatbed scanner | Image formats supported: JPG | Image formats supported: TIFF | Fax resolution (black): 300 x 300 DPI | Scan to: WIA | Scan to: Software | Acoustic power emissions (ready): Inaudible | Custom media sizes: Tray 1: 76.2 x 127 to 215.9 x 355.6 mm Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm | Fax memory: 400 pages | Duplex printing: Yes | Total number of input trays: 2 | Number of print cartridges: 1 | Photo paper sizes

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

(imperial): 5x8" | Maximum number of copies: 9999 copies | N-in-1 print function: Yes | Paper tray media weight: 60 - 200 g/m² | Maximum number of input trays: 3 | Control type: Touch | ID-card copy function: Yes | Mobile printing technologies: Mopria Print Service | Power consumption (printing): 510 W | Watermark printing: Yes | Envelope feeder: No | Copying: Mono copying | Scan to: TWAIN | Maximum output capacity: 150 sheets | Maximum ISO A-series paper size: A4 | Time to first page (black, normal): 6.3 s | Scan drivers: WIA | Duplex printing mode: Auto | Warranty card: Yes | Scan drivers: TWAIN | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Recommended operating temperature range (T-T): 15 - 27 °C | Time to first copy (black, normal): 7.2 s | Built-in processor: Yes | Recommended duty cycle: 750 - 4000 pages per month | Sound pressure level (printing): 54 dB | Printer fonts: Scalable | Sustainability compliance: Yes | Non-ISO print media sizes: Hagaki card | Maximum scan resolution: 1200 x 1200 DPI | Scanning: Colour scanning | Cartridge(s) included: Yes | UNSPSC-code: 43212110 | Scan technology: CIS | Auto fit function: Yes | Typical electricity consumption (TEC) number: 0.40 kWh/Week (Blue Angel) | Power consumption (sleep): 0.9 W | Fax transmission speed: 6 sec/page | Mobile operating systems supported: Android | Non-ISO print media sizes: 16K | Paper tray 2 input capacity: 250 sheets | Print resolution black: 1200 x 1200 DPI | HP Auto-On/Auto-Off: Yes | Sound pressure level (scanning): 48 dB | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Secure printing: Yes | Non-ISO print media sizes: Oficio | Colour display: Yes | Non-ISO print media sizes: Statement | Scan speed (colour): 20 ppm | ISO B-series sizes (B0...B9): B5 | Auto reduction: Yes | Envelopes sizes: 10 | Booklet printing function: Yes | Envelopes sizes: C5 | Modem speed: 33.6 Kbit/s | Envelopes sizes: Monarch | Envelopes sizes: B5 | Maximum resolution: 1200 x 1200 DPI | Envelopes sizes: DL | N-in-1 copy function: Yes | Recommended humidity operating range: 30 - 70% | Duplex scan speed (colour): 34 ppm | Photo paper sizes (imperial): 4x6 | Speed dialling: Yes | Mobile printing technologies: Apple AirPrint | Custom media length: 127 - 355.6 mm | Power consumption (ready): 7.5 W | Optical scanning resolution: 1200 x 1200 DPI | Maximum input capacity: 900 sheets | Total input capacity: 350 sheets | Total output capacity: 150 sheets | Scan to: E-mail | Duplex scan speed (black): 46 ppm | Duplex copying: Yes | Other operating systems supported: iOS | Paper tray media types: Rough paper | Paper tray media types: Heavy paper | ISO A-series sizes (A0...A9): A4 | Paper tray media types: Letterhead | ISO A-series sizes (A0...A9): A5 | Other operating systems supported: ChromeOS | Paper tray media types: Bond paper | Other operating systems supported: Android | Paper tray media types: Recycled paper | Paper tray media types: Labels | Number of users: 10 user(s) | ISO A-series sizes (A0...A9): A6 | Paper tray media types: Lightweight paper | Paper tray media types: Plain paper | Document formats supported: PDF | Total carbon footprint (kg of CO2e): 0.8 | Compliance

certificates: Federal Communications Commission (FCC) | Warnings: Avoid contact with toner, it can

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

irritate the skin and respiratory tract. | Total carbon emissions, w/o use phase (kg of CO2e): 23 | Warnings: Be careful when handling the device, it may contain live parts. | Carbon emissions, logistics (kg of CO2e): 3 | General Product Safety Regulation (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true | Carbon emissions, manufacturing (kg of CO2e): 102 | Carbon emissions, end-of-life (kg of CO2e): 13 | Compliance certificates: GS mark | Compliance certificates: CCC | Compliance certificates: BSMI | Warnings: The product requires special disposal - do not dispose of in normal waste. | Compliance certificates: EAC | Compliance certificates: CE | Compliance certificates: BIS | HP GTIN (EAN/UPC) with options: (301) 889894419385 (30A) 199764693914 (30B) 199764693945 (30N) 199642338074 (LS1) 199764693969 (LS2) 199764693983 (LS3) 199764693990 (NE1) 199642338098 | HP GTIN (EAN/UPC): 889894419385, 199764693914, 199764693945, 199642338074, 199764693969, 199764693983, 199764693990, 199642338098

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950