



# **HP Color LaserJet Pro MFP 3302fdn Laser A4 600 x 600 DPI 25 ppm**

Model: 499Q7F

Manufacturer: HEWLETT-PACKARD

EAN: 196786388620

Product Code: 936898

---

## **R7,309**

---

Compatible operating systems: Windows 11 Windows 10 Android iOS macOS 12 Monterey macOS 13 Ventura macOS 14 Sonoma macOS 15 Sequoia Linux | Recommended system requirements: Microsoft Windows 11 10 32-bit or 64-bit 2 GB available hard disk space Internet connection. Apple macOS 12.0 Monterey macOS 13.0 Ventura macOS v14 Sonoma 2GB HD Internet required. | Replacement cartridges: HP 219A Black Original LaserJet Toner Cartridge (~1,300 pages) W2190A HP 219A Cyan Original LaserJet Toner Cartridge (~1,200 pages) W2191A HP 219A Yellow Original LaserJet Toner Cartridge (~1,200 pages) W2192A HP 219A Magenta Original LaserJet Toner Cartridge (~1,200 pages) W2193A HP 219X High Yield Black Original LaserJet Toner Cartridge (~3,200 pages) W2190X HP 219X High Yield Cyan Original LaserJet Toner Cartridge (~2,500 pages) W2191X HP 219X High Yield Yellow Original LaserJet Toner Cartridge (~2,500 pages) W2192X HP 219X High Yield Magenta Original LaserJet Toner Cartridge (~2,500 pages) W2193X | Manufacturer warranty: One-year limited warranty. For more information please visit us at <https://www.support.hp.com> 14 . | Box

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

contents: HP Color LaserJet Pro MFP 3302fdn Power cord Toner cartridge User Guide Flyers | Bundled software: HP Printer Software downloadable from [www.hp.com/hp-app](http://www.hp.com/hp-app) | Certification: EN IEC 61000-3-2:2019 +A1:2021 EN 61000-3-3:2021 CISPR 32:2019 CISPR 35:2016 EN 55032:2015+A11:2020+A1:2020 EN 55035:2017+A11:2020 EN 61000-4-12:2017 FCC CFR 47 Part 15B ICES-003, Issue 6:2019 Other EMC approvals as required by individual countries. | Product colour: Blue | Power consumption (off): 0.05 W | Storage temperature (T-T): -20 - 60 °C | Windows operating systems supported: Windows 11 | Package weight: 20.6 kg | AC input voltage: 110 - 240 V | USB 2.0 ports quantity: 2 | Processor frequency: 1.2 GHz | Windows operating systems supported: Windows 10 | Mac operating systems supported: Mac OS X 12.0 Monterey | Display: TFT | Operating relative humidity (H-H): 10 - 80% | Mac operating systems supported: MacOS | Package width: 497 mm | Built-in display: Yes | Display diagonal: 10.9 cm (4.3") | Manual: Yes | Processor frequency: 1200 MHz | Operating temperature (T-T): 15 - 30 °C | Weight: 17.1 kg | Mac operating systems supported: Mac OS X 13.0 Ventura | Package depth: 398 mm | Ethernet LAN data rates: 10,100,1000 Mbit/s | Mac operating systems supported: Mac OS X 14.0 Sonoma | Power consumption (PowerSave): 0.05 W | Wi-Fi: No | Depth: 419.1 mm | Scanner type: Flatbed & ADF scanner | Maximum scan area: 216 x 297 mm | Width: 418 mm | Scan to: PC | Scan to: E-mail | Maximum print size: 216 x 355.6 mm | Number of print cartridges: 4 | USB port: Yes | Scan to: USB | Duplex scanning: No | Digital sender: Yes | Ethernet LAN: Yes | Direct printing: Yes | Scanning: Colour scanning | Cabling technology: 10/100Base-T(X) | User guide: Yes | Custom media width: 76 - 216 mm | Image formats supported: JPG | Image formats supported: TIFF | Internal memory: 512 MB | Input colour depth: 24 bit | Copier resize: 25 - 400% | Custom media length: 127 - 356 mm | Built-in processor: Yes | Auto document feeder (ADF) input capacity: 50 sheets | Modem speed: 33.6 Kbit/s | Copy speed (colour, normal quality, A4): 25 cpm | Faxing: Mono faxing | Copying: Colour copying | Print technology: Laser | Copy speed (black, normal quality, A4): 25 cpm | Package height: 532 mm | Height: 341.3 mm | Printing: Colour printing | Optical scanning resolution: 1200 x 1200 DPI | Scan to: Network folder | Cables included: AC | Recommended duty cycle: 150 - 2500 pages per month | Mobile printing technologies: Mopria Print Service | Duplex printing mode: Auto | Duplex functions: Print | Duplex functions: Copy | Cartridge(s) included: Yes | Mobile printing technologies: Apple AirPrint | Power consumption (printing): 416 W | Included cartridge capacity (CMY): 500 pages | HP Auto-On/Auto-Off: Yes | Auto reduction: Yes | UNSPSC-code: 43212110 | Control type: Touch | Maximum output capacity: 100 sheets | Fax resolution (black): 300 x 300 DPI | Power consumption (ready): 7.6 W | Print speed (black, normal quality, A4/US Letter): 25 ppm | Fax delayed sending: Yes | Maximum copy resolution: 600 x 600 DPI | Non-ISO print media sizes: 16K | RJ-11 ports quantity: 2 | Time to first page (colour, normal): 11 s | Greyscale levels: 256 | Harmonized System (HS) code:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[itworkup.co.za](http://itworkup.co.za) | [sales@itworkup.co.za](mailto:sales@itworkup.co.za) | +27 (11)541-9950

8443310000 | Envelopes sizes: B5 | Maximum input capacity: 251 sheets | Photo paper sizes: 10x15 cm | Non-ISO print media sizes: Oficio | Colour display: Yes | Envelopes sizes: DL | Scan speed (colour): 8 ppm | Maximum resolution: 600 x 600 DPI | Recommended operating temperature range (T-T): 15 - 27 °C | Time to first page (black, normal): 10.9 s | Envelopes sizes: C5 | Maximum ISO A-series paper size: A4 | Document formats supported: PDF | Power consumption (sleep): 0.95 W | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Time to first copy (colour, normal): 13.9 s | Scan drivers: TWAIN | Fax forwarding: Yes | TWAIN version: 2.1 | Scan speed (black): 19 ppm | Time to first copy (black, normal): 9.7 s | Power supply type: Internal (Built-in) power supply | HP segment: Small medium business | Fax memory: 500 pages | Fax transmission speed: 3 sec/page | Print speed (colour, normal quality, A4/US Letter): 25 ppm | Print resolution colour: 600 x 600 DPI | Internal storage capacity: 0.512 GB | Maximum duty cycle: 40000 pages per month | Other operating systems supported: Android | Scan technology: CIS | Auto fit function: Yes | ISO A-series sizes (A0...A9): A5 | ISO A-series sizes (A0...A9): A4 | All-In-One-multitasking: Yes | Print resolution black: 600 x 600 DPI | Photo paper sizes (imperial): 4x6 | Included cartridge capacity (black): 600 pages | Speed dialling: Yes | Printing colours: Black, Cyan, Magenta, Yellow | Warm-up time: 55 s | Other operating systems supported: iOS | Photo paper sizes (imperial): 5x8" | Maximum number of copies: 999 copies | Optical scanning resolution (ADF): 300 x 300 DPI | Sustainable technologies and materials: Contains post-consumer recycled plastic | Carbon emissions, end-of-life (kg of CO2e): 1.392 | Total carbon footprint (kg of CO2e): 326.166 | Sustainability compliance: Yes | Auto-redialing: Yes | Photo paper sizes (imperial): 8.5x13" | Carbon emissions, logistics (kg of CO2e): 1.411 | Total carbon emissions, w/o use phase (kg of CO2e): 17.579 | Paper tray 1 input capacity: 250 sheets | Duplex printing: Yes | Number of users: 10 user(s) | ISO A-series sizes (A0...A9): A6 | Maximum internal memory: 512 MB | HP GTIN (EAN/UPC) with options: (ABB) 197498232669 (ABU) 197498232720 | General Product Safety Regulation (GPSR) URL: [https://support.hp.com/us-en/document/ish\\_6126692-6126777-16?openCLC=true](https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true) | Carbon emissions, manufacturing (kg of CO2e): 305.784 | HP GTIN (EAN/UPC): 199251644702 | Compliance certificates: GS mark | Compliance certificates: CE | Compliance certificates: BIS | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: EAC | Compliance certificates: CCC | Compliance certificates: BSMI | Recommended humidity operating range: 30 - 70% | Paper tray media types: Recycled paper | Page description languages: PCL 6 | Total input capacity: 251 sheets | Paper tray media types: Transparencies | Paper tray media types: Letterhead | Paper tray media types: Glossy paper | Paper tray media types: Lightweight paper | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Paper tray media types: Plain paper | Paper tray media types: Rough paper | Paper tray media types: Heavy paper | Optical scanning resolution (black): 1200 x

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

1200 ppi | Typical electricity consumption (TEC) number: 0.338 kWh/week (Energy Star) | Maximum number of input trays: 2 | Paper tray media weight: 60 - 176 g/m<sup>2</sup> | HP Dynamic security: Yes | HP Web Jetadmin: Yes | Total output capacity: 100 sheets | Custom media sizes: 76 x 127 mm to 216 x 356 mm | Printer fonts: Scalable | Optical scanning resolution (colour): 1200 x 1200 ppi | Acoustic power emissions (ready): 23 dB | Sound pressure level (scanning): 41 dB | Sound power level (printing): 6.3 dB | Page description languages: URF | Paper tray media types: Card stock | Page description languages: JPEG | Duplex copying: Yes | Print margins (top, bottom, right, left): 5 mm | Total number of input trays: 2 | Printer fonts: TrueType | Page description languages: PDF | Page description languages: PCLm | Paper tray media types: Labels | Sound pressure level (printing): 51 dB | Page description languages: PCL 5 | Paper tray media types: Bond paper | Page description languages: PWG | Acoustic pressure emissions bystander (ready): 16 dB

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950