



ITWorkup - Level up your IT!

Waterfall Office Park, 28 Augrabies Rd Vorna Valley, Midrand, 1685

Generated: 2026-09-21 04:37:05

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Ubiquiti U7 Pro XG 5800 Mbit/s White Power over Ethernet (PoE)



Model: U7-PRO-XG

Manufacturer: UBIQUITI

EAN: 810177160632

Product Code: 941341

R5,127

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Coverage area: 140 m² | Maximum Tx power (6 GHz): 24 dBmW | Wireless meshing: Yes | Access point management: Wi-Fi schedule | Maximum Tx power (5 GHz): 26 dBmW | Maximum Tx power (2.4 GHz): 23 dBmW | Spatial streams: 6 | Maximum data transfer rate (6 GHz): 5800 Mbit/s | 6 GHz: Yes | Compliance certificates: CE | Compliance certificates: Industry Canada (IC) | Compliance certificates: Federal Communications Commission (FCC) | Maximum data transfer rate: 5800 Mbit/s | 5 GHz: Yes | Product colour: White | MIMO: Yes | Antenna type: Internal | 2.4 GHz: Yes | Frequency band: 2.4, 5, 6 GHz | Height: 206 mm | Networking standards: IEEE 802.11n | Security algorithms: PPSK | Networking standards: IEEE 802.11v | Networking standards: IEEE 802.11k | MIMO type: Multi User MIMO | Networking standards: IEEE 802.11r | Networking standards: IEEE 802.11be | Networking standards: IEEE 802.11ac | Networking standards: IEEE 802.11ax | Housing material: Metal, Polycarbonate (PC) | Depth: 32.5 mm | Rate limiting: Yes | Power over Ethernet (PoE): Yes | Width: 206 mm | Band steering: Yes | Fast roaming: Yes | Fit AP mode features: Hotspot 2.0 | Ethernet LAN data rates: 1000 Mbit/s | Ethernet LAN data rates: 5000 Mbit/s | Operating temperature (T-T): -30 - 40 °C | Maximum data transfer rate (2.4 GHz): 688 Mbit/s | Ethernet LAN (RJ-45) ports: 1 | Ethernet LAN data rates: 2500 Mbit/s | Power over Ethernet (PoE) type supported: PoE+ | Operating relative humidity (H-H): 5 - 95% | Reset button: Yes | Mounting kit: Yes | VLAN support: Yes | Ethernet LAN data rates: 10000 Mbit/s | LED indicators: Status | Placement: Ceiling, Wall | Quantity per pack: 1 pc(s) | Maximum data transfer rate (5 GHz): 4300 Mbit/s | Antenna gain level (max): 6 dBi | Number of users: 300 user(s) | Weight: 750 g | Power consumption (max): 22 W

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950