



HP Smart Tank 790 All-in-One Printer Thermal inkjet A4 4800 x 1200 DPI 15 ppm Wi-Fi

Model: 4WF66A

Manufacturer: HEWLETT-PACKARD

EAN: 195908302858

Product Code: 945018

R6,095

Box contents: HP Smart Tank 790 All-in-One 3 x HP GT53XL 135-ml Black Original Ink Bottle HP GT52 Cyan Original Ink Bottle HP GT52 Magenta Original Ink Bottle HP GT52 Yellow Original Ink Bottle Power cord PHA Setup guide Reference guide Ink caution flyer Regulatory flyers warranty flyers For more information about fill and yield, see <http://www.hp.com/go/learnaboutsupplies> | Bundled software: HP Printer Software, available online | Certification: CISPR 32:2015/EN 55032:2015+A11:2020 Class B CISPR24:2010+A1:2015/EN 55024:2010+A1:2015 EN55035:2017+A11:2020/CISPR35:2016 EN 61000-3-2:2019 EN 61000-3-3:2013+A1:2019 FCC CFR 47 Part 15 Subpart B ICES-003 Issue 7:2020 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.2 | Compatible operating systems: Windows 11 Windows 10 Windows 7 macOS 10.14 Mojave macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 14 Sonoma Chrome OS |

Recommended system requirements: Windows 10 7 32-bit or 64-bit 2 GB available hard disk space

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Internet connection Internet Explorer. macOS v10.14 Mojave macOS v10.15 Catalina macOS v11 Big Sur 2 GB HD Internet required. | Sustainable technologies and materials: 25% post-consumer recycled plastic Recyclable through HP Planet Partners | Sustainability compliance: Yes | Carbon emissions, end-of-life (kg of CO2e): 30 | HP GTIN (EAN/UPC) with options: (ABT) 193905216802 (ABY) 193905216819 (ACQ) 193905216826 (B13) 193905216833 (B19) 193905216840 (BAZ) 193905216857 | Carbon emissions, manufacturing (kg of CO2e): 184 | HP GTIN (EAN/UPC): 193905216802, 193905216819, 193905216826, 193905216833, 193905216840, 193905216857 | Print speed (ISO/IEC 24734) black: 15 ppm | Total carbon emissions, w/o use phase (kg of CO2e): 14 | Carbon emissions, logistics (kg of CO2e): 8 | Total carbon footprint (kg of CO2e): 236 | Print speed (ISO/IEC 24734) colour: 9 ppm | ISO A-series sizes (A0...A9): A4 | ISO A-series sizes (A0...A9): A6 | Number of users: 3 user(s) | Other operating systems supported: ChromeOS | Borderless printing: Yes | Time to first page (black, normal): 14 s | Scan drivers: TWAIN | Maximum ISO A-series paper size: A4 | Duplex copying: Yes | Time to first page (colour, normal): 16 s | Input colour depth: 24 bit | Auto reduction: Yes | Greyscale levels: 256 | Non-ISO print media sizes: Legal | Maximum copy resolution: 600 x 600 DPI | Scan technology: CIS | Fax forwarding: Yes | Duplex printing: Yes | Colour display: No | Envelope feeder: No | Mobile printing technologies: Apple AirPrint | ISO A-series sizes (A0...A9): A5 | Print speed (colour, normal quality, A4/US Letter): 9 ppm | Maximum duty cycle: 6000 pages per month | Power consumption (off): 0.1 W | Fax memory: 100 pages | Duplex scanning: No | Recommended operating temperature range (T-T): 15 - 30 °C | Recommended duty cycle: 400 - 1200 pages per month | Sound pressure level (printing): 59.4 dB | Package width: 484 mm | Duplex functions: Fax | Paper tray media types: Recycled paper | Paper tray media types: Lightweight paper | Paper tray media types: Plain paper | Mobile printing technologies: Mopria Print Service | Print resolution colour: 4800 x 1200 DPI | Fax transmission speed: 4 sec/page | Print margins (top, bottom, right, left): 3.3 mm | Typical electricity consumption (TEC) number: 0.20 kWh/Week | Fax speed dialling (max numbers): 99 | JIS B-series sizes (B0...B9): B5 | Mac operating systems supported: Mac OS X 14.0 Sonoma | Maximum number of copies: 99 copies | Photo paper sizes (imperial): 4x6 | Speed dialling: Yes | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Mac operating systems supported: Mac OS X 10.14 Mojave | Touchscreen: Yes | Photo paper sizes (imperial): 8x10 | Compliance certificates: CECP | Power consumption (sleep): 1.1 W | Maximum internal memory: 256 MB | Printing colours: Black, Cyan, Magenta, Yellow | Mac operating systems supported: Mac OS X 12.0 Monterey | Duplex faxing: Yes | Auto document feeder (ADF): Yes | All-In-One-multitasking: Yes | Weight: 7.7 kg | AC input voltage: 100 - 240 V | Paper tray media types: Photo paper | USB 2.0 ports quantity: 1 | Wi-Fi Direct: Yes | Image formats supported: JPEG | Fax resolution (colour): 200 x 200

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

DPI | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-mfp-m480-series/model/29256417?sku=3QA55A&serialnumber=3QA55A> https://kaas.hpcloud.hp.com/pdf-public/pdf_2952853_e | ID-card copy function: Yes | Ethernet LAN: Yes | Direct printing: Yes | Maximum scan resolution: 1200 x 1200 DPI | Image formats supported: BMP | Paper tray media weight: 60 - 250 g/m² | Package weight: 10.7 kg | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 10 | Cables included: AC | Maximum number of input trays: 1 | Maximum output capacity: 100 sheets | PictBridge: No | Print speed (black, draft quality, A4/US Letter): 23 ppm | Total input capacity: 250 sheets | Maximum input capacity: 250 sheets | Maximum resolution: 4800 x 1200 DPI | Custom media sizes: 88.9 x 127 mm to 215.9 x 355.6 mm | HP segment: Home | Power supply type: Internal | Sound power level (printing): 6.5 dB | Mac operating systems supported: MacOS | TWAIN version: 2.1 | Total number of input trays: 1 | Print resolution black: 1200 x 1200 DPI | Auto fit function: Yes | Built-in display: Yes | Bluetooth: Yes | Display diagonal: 7.62 cm (3") | Number of print cartridges: 4 | ISO C-series sizes (C0...C9): C5 | Operating temperature (T-T): 5 - 40 °C | ISO C-series sizes (C0...C9): C6 | USB port: Yes | Modem speed: 33.6 Kbit/s | Page description languages: PCL 3 GUI | AC input frequency: 50/60 Hz | Custom media length: 127 - 355.6 mm | Envelopes sizes: DL | Envelopes sizes: C5 | Recommended humidity operating range: 20 - 80% | Total output capacity: 100 sheets | Photo paper sizes: 10x15 cm | Width: 427.5 mm | Envelopes sizes: C6 | Image formats supported: PNG | Scanning: Colour scanning | Depth: 364 mm | Wi-Fi: Yes | Optical scanning resolution: 1200 x 1200 DPI | Junk barrier supported: Y | Processor frequency: 800 MHz | Copying: Colour copying | Copier resize: 25 - 400% | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Windows operating systems supported: Windows 11 | Print speed (colour, draft quality, A4/US Letter): 22 ppm | Print speed (black, normal quality, A4/US Letter): 15 ppm | Control type: Buttons, Touch | Photo paper sizes (imperial): 5x7 | Number of print heads: 2 | Fax delayed sending: Yes | Non-operating relative humidity (non-condensing): 5 - 90% | Document formats supported: PDF | Borderless printing media sizes: Letter | Maximum scan area: 216 x 297 mm | Height: 240.3 mm | Duplex printing mode: Auto | Warranty card: Yes | Scan to: Software | Warnings: Avoid contact with ink, may cause skin irritation. | Warnings: Do not dispose of used appliances and toner cartridges in the regular rubbish bin, they may contain substances harmful to the environment. | Printing: Colour printing | Borderless printing media sizes: A4 | Product colour: Grey | UNSPSC-code: 43212110 | Paper tray media types: Glossy paper | Paper tray media types: Matte paper | Image formats supported: TIFF | Fax resolution (black): 300 x 300 DPI | Auto-redialing: Yes | Scanner type: Flatbed scanner | Card reader integrated: No | Mac operating systems supported: Mac OS X 13.0 Ventura |

Warnings: Follow local regulations for the disposal of electronic multifunctional devices. | Package

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[itworkup.co.za](mailto:sales@itworkup.co.za) | sales@itworkup.co.za | +27 (11)541-9950

height: 410 mm | Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction | Copy speed (black, normal quality, A4): 23 cpm | Package depth: 284 mm | Custom media width: 88.9 - 215.9 mm | Operating relative humidity (H-H): 15 - 80% | Storage temperature (T-T): -40 - 60 °C | Faxing: Colour faxing | Maximum print size: 216 x 355.6 mm | Print technology: Thermal inkjet | Copy speed (colour, normal quality, A4): 22 cpm | Auto document feeder (ADF) input capacity: 35 sheets | Internal memory: 256 MB

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950