



Z myślą o ochronie środowiska

HP LaserJet Pro MFP 3102fdw Printer



Model: 3G630F

Manufacturer: HEWLETT-PACKARD

EAN: 195122461898

Product Code: 945340

R5,888

Compatible operating systems: Windows 11 Windows 10 macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 15 Sequoia Linux | Recommended system requirements: Microsoft Windows 11 10 2 GB available hard disk space Internet connection Microsoft Internet Explorer or Edge. Apple macOS v10.15 Catalina macOS v11 Big Sur macOS v12 Monterey 2 GB HD Internet required. | Replacement cartridges: HP 139A Original Black LaserJet Toner CartridgeW1390A (~1,500 yield) HP 139X Original Black LaserJet Toner CartridgeW1390X (~4,000 yield) | Manufacturer warranty: One-year limited warranty Warranty and support options vary by product, country, and local legal requirements | Box contents: HP LaserJet Pro MFP 3102fdw Printer HP Black LaserJet Toner Introductory Cartridge (yield ~1000 pages) Setup Guide Reference Guide Regulatory Flyer Warranty Guide Power cord | Bundled software: No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com, hpsmart.com/setup, in-OS app stores. CD include HP Software Installer, Uninstaller, printer driver and other essential tools | Certification: CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B EN 61000-3-2:2014 EN 61000-3-3:2013 EN 55035:2017 FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6 | Ethernet LAN: Yes | Direct printing: Yes | Scanning: Colour scanning | Mac operating systems supported: MacOS | Mac operating systems

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Processor frequency: 800 MHz | USB 2.0 ports quantity: 1 | Print technology: Laser | Package depth: 379 mm | Product colour: White | Bluetooth: Yes | Windows operating systems supported: Windows 10 | Cables included: AC | Package width: 497 mm | Operating relative humidity (H-H): 10 - 80% | Maximum print size: 207 x 348 mm | Display diagonal: 6.86 cm (2.7") | Package height: 490 mm | Wi-Fi: Yes | Weight: 10.5 kg | Wi-Fi standards: Wi-Fi 4 (802.11n) | AC input frequency: 50/60 Hz | Linux operating systems supported: Yes | Optical scanning resolution: 1200 x 1200 DPI | Display: CGD | Copier resize: 25 - 400% | Custom media length: 127 - 356 mm | Power consumption (off): 0.06 W | Storage temperature (T-T): -20 - 60 °C | Internal memory: 512 MB | Built-in display: Yes | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Mac operating systems supported: Mac OS X 12.0 Monterey | Cabling technology: 10/100Base-T(X) | Printing: Mono printing | Power consumption (PowerSave): 0.06 W | Ethernet LAN data rates: 10,100 Mbit/s | Operating temperature (T-T): 15 - 32.5 °C | Package weight: 13.6 kg | Windows operating systems supported: Windows 11 | Height: 313.2 mm | AC input voltage: 220 - 240 V | Depth: 398.2 mm | Security algorithms: SNMP | Maximum scan area: 216 x 297 mm | Width: 418 mm | Copying: Mono copying | Copy speed (black, normal quality, A4): 33 cpm | Custom media width: 76 - 216 mm | Auto document feeder (ADF) input capacity: 50 sheets | Paper tray 1 input capacity: 250 sheets | Total carbon footprint (kg of CO₂e): 0.8 | General Product Safety Regulation (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true | HP GTIN (EAN/UPC): 889894419385, 199764693914, 199764693945, 199642338074, 199764693969, 199764693983, 199764693990, 199642338098 | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: CCC | Compliance certificates: EAC | Compliance certificates: CE | Carbon emissions, manufacturing (kg of CO₂e): 102 | Total carbon emissions, w/o use phase (kg of CO₂e): 23 | HP GTIN (EAN/UPC) with options: (301) 889894419385 (30A) 199764693914 (30B) 199764693945 (30N) 199642338074 (LS1) 199764693969 (LS2) 199764693983 (LS3) 199764693990 (NE1) 199642338098 | Sustainability compliance: Yes | Compliance certificates: GS mark | Compliance certificates: BSMI | Carbon emissions, logistics (kg of CO₂e): 3 | Sustainable technologies and materials: Mercury free | Optical scanning resolution (ADF): 300 x 300 DPI | Compliance certificates: BIS | Doesn't contain: Mercury | Carbon emissions, end-of-life (kg of CO₂e): 13 | Total number of input trays: 1 | Page description languages: PWG | Sound power level (printing): 6.6 dB | Optical scanning resolution (colour): 1200 x 1200 ppi | Page description languages: URF | Included cartridge capacity (black): 1000 pages | Acoustic pressure emissions bystander (ready): 14 dB | Paper tray media weight: 60 - 163 g/m² | Page description languages: PCL 5c | Printer fonts: TrueType | HP Dynamic security: Yes | Total output capacity: 150

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

sheets | Acoustic power emissions (ready): 32 dB | Total input capacity: 250 sheets | Page description languages: PDF | Optical scanning resolution (black): 1200 x 1200 ppi | Secure printing: Yes | Printer fonts: Scalable | Sound pressure level (scanning): 47 dB | Maximum number of input trays: 1 | Page description languages: PCLmS | Paper tray media types: Plain paper | Custom media sizes: Width 76 to 216 mm Length 127 to 356mm | HP segment: Small medium business | Recommended humidity operating range: 30 - 70% | Cartridge(s) included: Yes | Typical electricity consumption (TEC) number: Blue Angel: 0.402 kWh/week | Paper tray media types: Glossy paper | Paper tray media types: Labels | Paper tray media types: Postcard | Sound pressure level (printing): 53 dB | Speed dialling: Yes | Duplex copying: Yes | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Paper tray media types: Cut sheet | Print resolution black: 1200 x 1200 DPI | Maximum input capacity: 250 sheets | Modem speed: 33.6 Kbit/s | Fax forwarding: Yes | Auto-redialing: Yes | Maximum resolution: 1200 x 1200 DPI | Duplex printing mode: Auto | Power supply type: Internal (Built-in) power supply | Recommended duty cycle: 350 - 2500 pages per month | Scanner type: Flatbed & ADF scanner | Maximum internal memory: 512 MB | Scan drivers: TWAIN | Power consumption (sleep): 1.31 W | Fax transmission speed: 3 sec/page | Mobile printing technologies: Apple AirPrint | Envelopes sizes: C5 | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Fax delayed sending: Yes | Scan to: TWAIN | ISO A-series sizes (A0...A9): A5 | Scan technology: CIS | Scan to: Software | Faxing: Mono faxing | Envelopes sizes: C6 | Fax memory: 500 pages | Mobile printing technologies: Mopria Print Service | Duplex printing: Yes | USB port: Yes | Duplex functions: Print | Number of print cartridges: 1 | Printing colours: Black | Greyscale levels: 256 | Print speed (black, normal quality, A4/US Letter): 33 ppm | Control type: Buttons, Touch | UNSPSC-code: 43212110 | Non-ISO print media sizes: Oficio | Envelopes sizes: DL | Maximum number of copies: 999 copies | Auto fit function: Yes | Warranty card: Yes | Warm-up time: 55 s | Non-ISO print media sizes: 16K | ISO A-series sizes (A0...A9): A4 | Maximum ISO A-series paper size: A4 | Time to first copy (black, normal): 6.2 s | Document formats supported: PDF | Maximum duty cycle: 50000 pages per month | All-In-One-multitasking: Yes | Scan speed (colour): 8 ppm | Input colour depth: 24 bit | Harmonized System (HS) code: 8443310000 | Photo paper sizes: 10x15 cm | Duplex scanning: No | Power consumption (printing): 436 W | Colour display: Yes | Scan speed (black): 19 ppm | Recommended operating temperature range (T-T): 17.5 - 25 °C | Envelopes sizes: B5 | ISO C-series sizes (C0...C9): C6 | Wi-Fi Direct: Yes | Image formats supported: JPG | Image formats supported: TIFF | Maximum copy resolution: 300 x 300 DPI | ISO C-series sizes (C0...C9): C5 | Maximum output capacity: 150 sheets | Power consumption (ready): 4.5 W | ISO B-series sizes (B0...B9): B5 | Auto reduction: Yes | Time to first page (black, normal): 7 s | Number of users: 10 user(s) | ISO A-series sizes (A0...A9): A6 | Fax resolution (black): 300 x 300 DPI | Other operating systems supported: Linux

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

| Non-ISO print media sizes: L | Document formats supported: XPS

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950