

GODOX AD600B TTL Wistro Flash for Bowens Mount



Model: AD600B

Manufacturer: GODOX

EAN: 6952344210130

Product Code: 963782

R15,421

GODOX AD600B TTL Wistro Flash for Bowens Mount

The GODOX AD600B TTL Wistro Flash for Bowens Mount is a professional 600Ws studio flash equipped with TTL automatic light metering, a high-capacity lithium-ion battery, and the popular Bowens mount. Thanks to the built-in Godox System X 2.4 GHz receiver, HSS synchronization, power adjustment from 1/1 to 1/256, and a 10W LED modeling light, it performs well during both studio and outdoor sessions. This is the solution for photographers who demand high power, portability, and precise control over lighting.

600Ws Power and TTL Auto

With 600Ws of flash energy, it effectively illuminates both portraits and larger photo sets. Power adjustment ranging from 1/1 to 1/256 in 1/3 EV increments allows for precise light adjustment to suit

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

any scene. Support for TTL automatic exposure metering and HSS synchronization with fast shutter speeds makes it easier to work in changing lighting conditions and allows you to use a wide aperture even in direct sunlight.

Mobile Operation Without Mains Power

The flash is powered by an 8700 mAh lithium-ion battery, which allows for up to 500 full-power flashes on a single charge. The removable battery and the fact that it doesn't need to be plugged into an electrical outlet provide great freedom during outdoor shoots. A full charge takes about 4 hours.

Built-in Godox X System and Bowens Mount

The AD600B TTL model features a built-in 2.4 GHz Godox System X receiver, allowing it to be remotely controlled without additional receivers. Additionally, a 3.5 mm jack is available for use with other triggers. The Bowens mount ensures compatibility with a wide range of light modifiers, such as softboxes, reflectors, and photography umbrellas.

Stable light and professional capabilities

A color temperature of 5600 K (± 200 K) ensures natural color reproduction and helps maintain consistency across photos. A maximum flash duration of up to 1/10100 of a second at minimum power allows you to effectively freeze motion, while the 10 W LED modeling light makes it easy to set up your lighting before taking a photo. The flash also features a stroboscopic flash mode and an active cooling system that ensures stable operation during intensive photo sessions.

Included

- GODOX AD600B TTL Wistro Flash
- Battery
- Mains charger
- Plastic flash head cover
- Manufacturer's packaging

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Manufacturer	GODOX
Model	AD600B
Flash power	600 Ws
Color temperature	5600 K $\pm$ 200 K
Power adjustment range	1/1 – 1/256
Flash duration	1/220 – 1/10100 s
Maximum recharge time	2.5 s
Modeling light	10 W LED
Power Source	8700 mAh lithium-ion battery
Number of Flashes per Full Charge	up to 500
Wireless Connectivity	Godox System X 2.4 GHz
Light Modifier Mount	Bowens
Cooling	Active
Weight	2.66 kg (with battery)
Series	AD

Gross weight: 3730, Net weight: 3918, Box length: 37,00, Box width: 21,00, Box height: 21,50, Set: Yes, With tripod: Yes, Adjustable intensity: Yes, GPSR Link: https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf, Information about data generation: <https://dataact.innpro.pl/GODOX/6952344210130>, PPWR: <https://ppwr.innpro.pl/en/godox>