

GODOX X3 TTL Remote Trigger for Nikon



Model: X3 N

Manufacturer: GODOX

EAN: 6952344234693

Product Code: 963797

R2,450

GODOX X3 S Trigger for Nikon

The GODOX X3 N Trigger for Nikon is a modern TTL radio transmitter designed for Nikon cameras, compatible with the Godox X 2.4 GHz system. Its compact design, touchscreen OLED display, support for TTL, manual, and Multi modes, HSS synchronization, and first- and second-curtain synchronization make it ideal for both studio and outdoor shoots. The transmitter offers a range of up to 100 meters, support for 16 groups and 32 channels, and fast charging via a USB-C port. Thanks to its compact size and intuitive operation, it allows for convenient control of compatible Godox flash units.

Intuitive Operation and Clear OLED Screen

The Godox X3 is equipped with a clear, high-contrast OLED touchscreen with a fast refresh rate. Combined with physical buttons, it provides convenient access to all key settings, ensuring that adjusting parameters is a smooth process. The display brightness can be adjusted to suit conditions

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

in the studio or when working outdoors. The manufacturer has also included a screen lock feature that prevents accidental touches and unintended changes to settings.

Extensive Lighting Control Capabilities

The transmitter supports TTL, manual, and Multi-stroboscopic flash modes, allowing you to adapt its operation to various photographic scenarios. The device also supports HSS synchronization and synchronization with the first and second shutter curtains, expanding your flash photography capabilities. The bidirectional TCM mode allows you to convert and transfer parameters between TTL and manual modes, making it easier to switch operating modes during a session. This solution enables more efficient management of settings and faster response to changing shooting conditions.

Stable Transmission and Fast Charging

The Godox X3 uses 2.4 GHz radio transmission, ensuring stable control of Godox X system devices at distances of up to 100 meters. The channel scan feature helps minimize interference from other users operating on the same band, increasing operational reliability. The built-in 850 mAh lithium-ion battery can be charged from 0 to 100% in about 2 hours via the USB-C port. The same port is also used for software updates, allowing the trigger to benefit from the manufacturer’s latest improvements.

Included

- GODOX X3 Trigger
- USB-C cable
- Carrying case
- Manufacturer’s packaging

Manufacturer	Godox
Model	X3
Compatibility	Nikon cameras

Triggering	TTL / manual
Operating Modes	TTL, Manual, Multi
HSS Synchronization	Yes
First- and Second-Curtain Synchronization	Yes
TCM Mode	Yes
Number of Groups	16
Number of Channels	32
Operating Range	Up to 100 m
Display	OLED touchscreen
Battery capacity	850 mAh
Battery type	Li-Ion
Voltage	3.7 V
Operating time	up to 7 days
Charging time	approximately 2 hours
Port	USB-C

Gross weight: 270, Net weight: 183, Box length: 12,00, Box width: 9,00, Box height: 8,00, Set: Yes, With tripod: Yes, Adjustable intensity: Yes, GPSR Link: https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photo_accessories.pdf, Information about data generation: <https://dataact.innpro.pl/GODOX/6952344234693>, PPWR: <https://ppwr.innpro.pl/en/godox>

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950