

GODOX X3 TTL Remote Trigger for Olympus



Model: X3 O

Manufacturer: GODOX

EAN: 6952344235843

Product Code: 963812

R2,450

GODOX X3 O Trigger for Olympus

The GODOX X3 O Trigger for Olympus provides convenient and precise remote control of compatible Godox flash units. 2.4 GHz wireless connectivity with a range of up to 100 meters ensures reliable flash triggering during studio and outdoor shoots. The device supports TTL, high-speed sync up to 1/8000 s, and flash exposure compensation ranging from -3 to +3 EV, giving you full control over lighting and allowing you to quickly adjust settings to current shooting conditions.

Intuitive operation and quick access to key functions

The touchscreen provides convenient access to all key functions and a clear interface with an intuitive menu. Changing settings is quick and intuitive, allowing you to react instantly to changing conditions on set. An additional dial and buttons simplify operation, and the ability to adjust the display brightness enhances comfort when working in various lighting conditions.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Advanced control of compatible Godox flashes

The trigger is compatible with the TTL system and supports high-speed flash synchronization up to 1/8000 s. It allows you to adjust the flash exposure compensation from -3 to +3 EV, as well as remotely control the modeling light and zoom settings. The device also offers a function to convert TTL values to output values in M mode, providing greater flexibility when setting up your lighting.

High-Capacity Battery and Convenient Charging

The X3 O is equipped with an integrated 850 mAh battery. It takes approximately 2 hours to fully charge, and thanks to the USB-C port, recharging is fast and convenient. The USB-C port also allows for software updates, ensuring the device can take advantage of the latest features and improvements.

Included

- Transmitter x1
- USB-C charging cable x1
- Carry case x1

Manufacturer	Godox
Model	X3 Nano
Compatibility	Olympus
Compatible Flash Units	P2400, AD1200Pro, AD600, AD360II, AD200, V860II, V860III, V850, V350, TT685, TT685II, TT585, TT350, FV, V1, Quicker II, Quicker III series, SKII series, SKII-V series, DPII series, DPIII series, GS/DSII series, Lux Master
Connectivity	2.4 GHz
Operating Range	Up to 100 m
TTL Support	Yes
High-Speed Sync	Up to 1/8000 s

Flash Exposure Compensation	From -3 to +3 EV
Screen	Touchscreen
Battery	850 mAh
Charging time	Approximately 2 hours
Port	USB-C

Gross weight: 270, Net weight: 182, Box length: 12,50, Box width: 9,00, Box height: 8,00, Set: Yes, With tripod: Yes, Adjustable intensity: Yes, GPSR Link: https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photo_accessories.pdf, Information about data generation: <https://dataact.innpro.pl/GODOX/6952344235843>, PPWR: <https://ppwr.innpro.pl/en/godox>

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950