

GODOX X2T TTL Flash Trigger for Olympus Cameras



Model: X2T-O

Manufacturer: GODOX

EAN: 6952344217696

Product Code: 963818

R1,958

GODOX X2T Flash Trigger for Olympus Cameras

The Godox X2T is a radio transmitter designed for Olympus cameras that provides convenient and precise control over compatible flash units. It supports TTL automatic flash metering, as well as manual (M) and stroboscopic (Multi) modes, giving you full control over lighting parameters. With 2.4 GHz transmission, a range of up to 100 meters, support for 5 groups and 32 channels, and a clear LCD display, this device is ideal for both studio and outdoor use.

Full Control Over Flash Lighting

The transmitter works with the TTL system of compatible Olympus cameras, making it easy to achieve the correct flash exposure. Users can also work in manual and stroboscopic modes, adjusting the flash output themselves or using flash exposure compensation. High-speed sync (HSS)

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

and first- and second-curtain flash triggering are also available, allowing you to adapt your workflow to various photographic scenarios.

Control the flashes from your smartphone

The built-in Bluetooth module allows you to connect the transmitter to your smartphone and control compatible flashes using the Godox app, available for Android and Apple devices. This lets you conveniently manage your lighting directly from your phone. Select smartphone models also allow you to trigger the strobes the moment you take a photo.

Stable communication and convenient operation

The Godox X2T allows you to work using multiple transmission channels, ensuring a stable signal, fast response, and full control over the connected strobes. The easy-to-read LCD display simplifies configuration, and power from two AA batteries ensures convenience during photo shoots.

Included in the set

- Godox X2T transmitter x1
- Packaging x1

Manufacturer	Godox
Model	X2T
Function	Transmitter
Compatibility	Olympus cameras
Operating modes	TTL; Manual (M); Stroboscopic (Multi)
Synchronization	HSS; First-curtain sync; Second-curtain sync
Connectivity	Bluetooth
App	Godox (Android/Apple)

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Groups/Channels 5/32

Display	LCD
Frequency	2.4 GHz
Range	Up to 100 m
Power	2 × AA (R6, not included)
Dimensions	7 × 7 × 5.8 cm
Weight	0.07 kg

Box length: 9,50, Box width: 9,00, Box height: 8,50, Gross weight: 180, Net weight: 93, Set: Yes, With tripod: Yes, Adjustable intensity: Yes, GPSR Link: https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photo_accessories.pdf, Information about data generation: <https://dataact.innpro.pl/GODOX/6952344217696>, PPWR: <https://ppwr.innpro.pl/en/godox>

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950