

3-Zone Hose Timer RainPoint ITV305



Model: ITV305

Manufacturer: RAINPOINT

EAN: 5907085528472

Product Code: 981971

R2,176

3-Zone Hose Timer RainPoint ITV305

The RainPoint ITV305 3-zone controller allows you to separately manage as many as three independent irrigation zones. Each of them can have a separate schedule set - start time, length and frequency of watering. The device is equipped with a large LCD (Liquid Crystal Display) and a function dial with zone switch for easy daily operation. A built-in metal filter, a thicker inlet thread and an IP65 (International Protection Rating - a degree of protection against dust and water jets) guarantee weather resistance. Additional features, such as manual watering, cycle delay in case of rain, and battery discharge protection, increase the reliability of the device.

Three independent zones

Each of the three zones can be programmed separately. There are separate settings for start time, cycle duration (from 1 minute to 4 hours) and frequency (every 1-12 hours or 1-7 days). This makes it possible to customize watering for different areas, such as the lawn, flowerbeds and vegetables.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Manual and automatic watering

Manual mode allows you to start watering off-schedule from 1 minute to 8 hours. Changes do not affect pre-set cycles. This is a convenient solution for seasonal work or ad hoc water needs.

Rain Delay function

The built-in option to delay the watering cycle by 24, 48 or 72 hours allows you to adjust the system's operation to weather conditions and reduce water consumption in case of rainfall.

Low battery protection

The controller informs when the battery needs to be replaced and automatically closes the valve when the energy level drops too low. The solution used protects the system from uncontrolled water outflow.

Intuitive operation

A large dial and easy-to-read LCD screen make it easy to configure schedules. Buttons allow you to quickly switch between zones and change settings. A choice of time format (12H/24H) is available, and all changes are visible in real time.

Durability and resistance

The housing is resistant to dust and water jets according to the IP65 standard. BSP (British Standard Pipe - the standard for pipe threads) 3/4" or 1" threads fit standard garden taps, and a mesh filter on the inlet protects the valve from dirt. A thicker and raised plastic flange increases the durability of the connection.

Included:

- 3-zone irrigation controller
- Sealing tape
- Spare rubber gasket

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- Mounting nut
- Operating instructions

Manufacturer	RainPoint
Model	ITV305
Water inlet	BSP for 3/4" or 1" faucet

Operating temperature range 3°C - 50°C

Working pressure 0,5-8 bar

Time format 12H / 24H

Watering delay 24 / 48 / 72 hours

Watering frequency 1 hour - 12 hours, 1 day - 7 days

Duration of watering 1 minute - 4 hours

Duration of manual watering 1 minute - 8 hours

Power supply 4× AA batteries (not included)

Waterproof level IP65

Gross weight: 830, Net weight: 734, Box length: 19,50, Box width: 18,50, Box height: 11,00, Last delivery: 11.09.2026, GPSR Link: https://psr-assets.innpro.pl/outdoor/sg_outdoor_irrigation_systems.pdf, PPWR: <https://ppwr.innpro.pl/rainpoint>

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950