

WRL RANGE EXTENDER 1200MBPS/RE300 TP-LINK



Model: RE300

Manufacturer: TP-LINK

EAN: 6935364084196

Product Code: 998603

R1,238

Extend Dual Band Wi-Fi across Your Home

Keep the Whole Home Connected

RE300 wirelessly connects to your Wi-Fi router, strengthening and expanding its signal into areas it can't reach on its own. With speeds of up to 300 Mbps on 2.4 GHz and 867 Mbps on 5 GHz, put strong, fast Wi-Fi in every room and say goodbye to dead zones.

TP-Link OneMesh

OneMesh is a simple way to form a Mesh network with a single Wi-Fi name for seamless whole-home coverage. Just connect a OneMesh range extender to a OneMesh router. No more searching around for a stable connection.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Enjoy a Mesh Network with Your Existing Router

Want a Mesh network? Hesitate on whether to replace your existing router and buy a Mesh set? TP-Link OneMesh resolves your dilemma.

High-Speed Dual Band Wi-Fi without Bandwidth Drop

Faster AC1200 Dual Band Wi-Fi

The RE300 lets you keep more devices connected simultaneously with its 2.4 GHz 300 Mbps and 5 GHz 867 Mbps dual bands.

Keeps Itself Fast

Adaptive Path Selection keeps your network running at top-speed by automatically choosing the fastest connection path to the router.

High Speed Mode

Use both Wi-Fi bands to establish one super-high-speed connection, ideal for HD streaming & gaming.

Secure One-Touch Connection for Easy Setup

Step 1: Simply press the WPS button on your router and, within 2 minutes, the WPS button on RE300 to connect to the network.

Step 2: Once connected, place RE300 to the best location—without reconfiguration.

Find the Best Location with the Smart Signal Indicator

The smart signal indicator lets you see signal strength from the existing router at a glance. Easily to find the best place to position your range extender to extend your Wi-Fi.

Feature-Rich App for Control in Your Hands

Set up and manage your Wi-Fi through the TP-Link Tether app from your smartphone (Android, iOS), including TP-Link routers and range extenders.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- Extends dual-band Wi-Fi across your home to eliminate Wi-Fi dead zones
- Creates a Mesh network by connecting to a OneMesh router for seamless whole-home coverage
- Operates over both the 2.4 GHz band (300 Mbps) and 5 GHz band (867 Mbps)*1 for more stable wireless experience
- Smart signal indicator helps to find the best location for optimal Wi-Fi coverage by showing the signal strength
- Push the WPS button to easily set up a Mesh network you can uniformly manage from the Tether app or Web UI
- Works with any Wi-Fi router or wireless access point

Summary: TP-Link AC1200 Mesh Wi-Fi Range Extender. Type: Network repeater, Data transfer rate: 867 Mbit/s, Windows operating systems supported: Windows 10, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows XP. Antenna type: Internal, Transmitting power (CE): 17 dBm. Wi-Fi standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi data rate (max): 867 Mbit/s, Wi-Fi band: Dual-band (2.4 GHz / 5 GHz). Product colour: White, Quantity per pack: 1 pc(s). AC input voltage: 100 - 240 V, AC input frequency: 50/60 Hz, Power consumption (max): 7.3 W | Vendor Homepage: <https://www.tp-link.com/uk/home-networking/range-extender/re300/> | Data transfer rate: 867 | Linux operating systems supported: Yes | Mac compatibility: Yes | Mac operating systems supported: Yes | Type: Network repeater | Windows operating systems supported: Windows 10/Windows 7/Windows 8/Windows 8.1/Windows 98SE/Windows NT/Windows XP | WPS push button: Yes | Antenna type: Internal | Antennas quantity: 2 | Transmitting power (CE): 17 | Security algorithms: 128-bit WEP/64-bit WEP/WPA2-PSK/WPA-PSK | Wi-Fi: Yes | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Wi-Fi data rate (max): 867 | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac) | LED indicators: Yes | Product colour: White | Quantity per pack: 1 | Reset button: Yes | Access Control List (ACL): Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Power consumption (max): 7.3 | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 70 | Depth: 69 | Height: 52 | Width: 124 | Quick start guide: Yes | Package depth: 101.5 | Package height: 89 | Package type: Box | Package weight: 290 | Package width: 156.5 | Compliance certificates: CE/Federal Communications Commission (FCC)/RoHS | Product Net Weight: 0.11 | Shipping Box Height: 21 | Unit Calculated Volume: 0.001892 | Unit Calculated Weight: 0.295 | Units per Pallet: 0 | Units per Shipping Box: 20 | Model name: AC1200 Mesh Wi-Fi Range Extender

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950