



MEMORY DIMM

32GB DDR5-

6000

K2/6000J3038F16GX2-

TZ5NR G.SKILL



Model: F5-6000J3038F16GX2-TZ5NR

Manufacturer: G.SKILL

EAN: 4713294232625

Product Code: 42714

R11,354

Trident Z5 Neo RGB DDR5 memory is designed for ultra-high overclocked performance on DDR5-enabled AMD platforms. Featuring AMD EXPO overclocking technology for easy memory overclocking on supported AMD platforms, the Trident Z5 Neo RGB series is the ideal choice for building high-performance systems.

Blazing Performance DDR5 for AMD Ryzen

Designed for DDR5-enabled AMD platforms, Trident Z5 Neo RGB is created from high-quality, hand-screened DDR5 DRAM ICs to achieve high overclocked memory performance on DDR5 AMD platforms. To unleash overclocked memory performance, the Trident Z5 Neo RGB comes with AMD EXPO (EXtended Profiles for Overclocking) support to allow a simple memory overclocking experience in BIOS.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Dual-Textured Streamline Design

Incorporating hypercar elements, the Trident Z5 Neo RGB is designed with a sleek and futuristic exterior. Featuring a black brushed-aluminum inset into a matte black body with precision CNC highlight stripes and topped with a translucent light bar optimized for smooth RGB lighting, the Trident Z5 Neo RGB is ideal for a multitude of PC build themes.

Engineered for Exceptional DDR5 Experience

Each Trident Z5 Neo RGB memory kit is tested under G.SKILL's rigorous validation process to ensure outstanding quality.

Streamlined RGB Light Bar

Designed with a streamlined light bar, the Trident Z5 Neo RGB looks sleeker than ever. Featuring customizable RGB lighting through the G.SKILL Trident Z Lighting Control software or supported third party motherboard software, personalizing the colors and lighting effects of the Trident Z5 Neo RGB is a breeze.

Sync Up with System Lighting

Want to sync up your system lighting? You can use Asus Aura*, Gigabyte RGB Fusion*, MSI Mystic Light*, or ASRock Polychrome Sync* software to personalize the colors and effects of your Trident Z5 Neo RGB memory and compatible motherboards!

* Note: Trident Z5 Neo RGB lighting control support through the listed third-party software may vary between motherboard models.

AMD EXPO Support

Just set and go. Programmed with AMD EXPO overclocking profiles, the only thing that stands between you and awesome performance is a simple BIOS setting.*

* Enable the EXPO profile in the BIOS to reach up to the rated overclock speed of this memory kit. Maximum memory speed and system stability depends on the capability of the motherboard & CPU.
Summary: G.Skill Trident Z5 Neo RGB F5-6000J3038F16GX2-TZ5NR. Component for: PC/Server, Internal memory: 32 GB, Memory layout (modules x size): 2 x 16 GB, Internal memory type: DDR5, Memory clock speed: 6000 MHz, Memory form factor: 288-pin DIMM, CAS latency: 30 | Vendor

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Homepage: <https://www.gskill.com/product/165/390/1661410135/F5-6000J3038F16GX2-TZ5NR> | AMD Extended Profiles for Overclocking (EXPO): Yes | AMD Extended Profiles for Overclocking (EXPO) version: 1.0 | Backlight: Yes | Backlight colour: Multicolour | Buffered memory type: Unregistered (unbuffered) | CAS latency: 30 | Component for: PC/Server | Cooling type: Heatsink | ECC: No | Internal memory: 32 | Internal memory type: DDR5 | Memory channels: Dual-channel | Memory clock speed: 6000 | Memory form factor: 288-pin DIMM | Memory layout (modules x size): 2 x 16 | Memory voltage: 1.35 | SPD profile: Yes | Model: F5-6000J3038F16GX2-TZ5NR | Units per Shipping Box: 1 | Unit Calculated Volume: 0.000308 | Unit Calculated Weight: 0.19

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950